According to EC No 1907/2006 as amended as at the date of this SDS

AeroShell Turbine Oil 560

Version	Revision Date:	SDS Number:	Date of last issue: 15.11.2022
5.1	11.04.2023	800001001488	Print Date 12.04.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	: AeroShell Turbine Oil 560
Product code	: 001A0085

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- stance/Mixture	ynthetic lubricating oil for aircraf etails consult the AeroShell Boo	
Uses advised against	his product must be used, hand nee with the requirements of the anuals, bulletins and other docu his product must not be used in sted in Section 1 without first sec ier.	e equipment manufacturer's umentation. applications other than those

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier :	Shell UK Oil Products Limited Shell Centre London SE1 7NA United Kingdom
Telefax	(+44) 08007318888 If you have any enquiries about the content of this SDS please email lubricantSDS@shell.com

1.4 Emergency telephone number

: +44 (0) 20 7934 7778 (This telephone number is available 24 hours per day, 7 days per week)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Long-term (chronic) aquatic hazard, Category 3 H412: Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

According to EC No 1907/2006 as amended as at the date of this SDS

AeroShell Turbine Oil 560

Version 5.1	Revision Date: 11.04.2023		Number: 01001488	Date of last issue: 15.11.2022 Print Date 12.04.2023	
Hazard pictograms Signal word			No Hazard Symbol required No signal word		
Haza	rd statements	-	Not class teria. HEALTH Not class ENVIROI	AL HAZARDS: ified as a physical hazard according to CLP HAZARDS: ified as a health hazard under CLP criteria. NMENTAL HAZARDS: o aquatic life with long lasting effects.	
Precautionary statements		P2 R0	esponse: No preca	ease to the environment. utionary phrases.	
		Di Pi	sposal:	utionary phrases. of contents/ container to an approved waste	

2.3 Other hazards

This mixture does not contain any REACH registered substances that are assessed to be a PBT or a vPvB.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis. Used oil may contain harmful impurities. Not classified as flammable but will burn.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Blend of synthetic esters and additives.

Components

	Classification	Concentration
EC-No.		(% w/w)
Index-No.		
Registration number		

According to EC No 1907/2006 as amended as at the date of this SDS

AeroShell Turbine Oil 560

Version 5.1	Revision Date: 11.04.2023	SDS Number: 800001001488	Date of last issue: 15.11.2022 Print Date 12.04.2023	
Aryl a	nmine	51772-35-1 257-406-8	Aquatic Chronic 4; H413	1 - 3
Triary	/l phosphate	1330-78-5 215-548-8	Repr. 2; H361f Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	1 - 2.49

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid mea	asures	5		
Protection of first-aiders	:	When administering first aid, ensure that you are wearing the appropriate personal protective equipment according to the incident, injury and surroundings.		
If inhaled	:	No treatment necessary under normal conditions of use. If symptoms persist, obtain medical advice.		
In case of skin contact	:	Remove contaminated clothing. Flush exposed area with wa- ter and follow by washing with soap if available. If persistent irritation occurs, obtain medical attention.		
In case of eye contact	:	Flush eye with copious quantities of water. Remove contact lenses, if present and easy to do. Continue rinsing. If persistent irritation occurs, obtain medical attention.		
If swallowed	:	In general no treatment is necessary unless large quantities are swallowed, however, get medical advice.		
4.2 Most important symptoms	and e	ffects, both acute and delayed		
Symptoms	:	Oil acne/folliculitis signs and symptoms may include formation of black pustules and spots on the skin of exposed areas. Ingestion may result in nausea, vomiting and/or diarrhoea.		
4.3 Indication of any immediate medical attention and special treatment needed				
Treatment	:	Notes to doctor/physician: Treat symptomatically.		

According to EC No 1907/2006 as amended as at the date of this SDS

AeroShell Turbine Oil 560

Version	Revision Date:	SDS Number:	Da
5.1	11.04.2023	800001001488	Pi

Date of last issue: 15.11.2022 Print Date 12.04.2023

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	:	Foam, water spray or fog. Dry chemical powder, carbon diox- ide, sand or earth may be used for small fires only.
Unsuitable extinguishing media	:	Do not use water in a jet.
5.2 Special hazards arising from	the	e substance or mixture
Specific hazards during fire- fighting	:	Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide may be evolved if incomplete combustion occurs. Unidentified organic and inorganic compounds.
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	Proper protective equipment including chemical resistant gloves are to be worn; chemical resistant suit is indicated if large contact with spilled product is expected. Self-Contained Breathing Apparatus must be worn when approaching a fire in a confined space. Select fire fighter's clothing approved to relevant Standards (e.g. Europe: EN469).
Specific extinguishing meth-	:	Use extinguishing measures that are appropriate to local cir-

SECTION 6: Accidental release measures

ods

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	6.1.1 For non emergency personnel:Avoid contact with skin and eyes.6.1.2 For emergency responders:Avoid contact with skin and even
		Avoid contact with skin and eyes.
6.2 Environmental precautions		
Environmental precautions	:	Use appropriate containment to avoid environmental contami- nation. Prevent from spreading or entering drains, ditches or rivers by using sand, earth, or other appropriate barriers.
6.3 Methods and material for co	ontai	nment and cleaning up
Methods for cleaning up		Slippery when spilt. Avoid accidents, clean up immediately.
Methods for oleaning up	•	Prevent from spreading by making a barrier with sand, earth or other containment material.
		Reclaim liquid directly or in an absorbent.
		· · · · · · · · · · · · · · · · · · ·

cumstances and the surrounding environment.

Soak up residue with an absorbent such as clay, sand or other

According to EC No 1907/2006 as amended as at the date of this SDS

AeroShell Turbine Oil 560

Version	Revision Date:	SDS Number:	Date of last issue: 15.11.2022
5.1	11.04.2023	800001001488	Print Date 12.04.2023

suitable material and dispose of properly.

6.4 Reference to other sections

For guidance on selection of personal protective equipment see Section 8 of this Safety Data Sheet., For guidance on disposal of spilled material see Section 13 of this Safety Data Sheet.

SECTION 7: Handling and storage

7.1 Precautions for safe handling	
-----------------------------------	--

Technical measures	:	Use local exhaust ventilation if there is risk of inhalation of vapours, mists or aerosols. Use the information in this data sheet as input to a risk as- sessment of local circumstances to help determine appropri- ate controls for safe handling, storage and disposal of this material.
Advice on safe handling	:	Avoid prolonged or repeated contact with skin. Avoid inhaling vapour and/or mists. When handling product in drums, safety footwear should be worn and proper handling equipment should be used. Properly dispose of any contaminated rags or cleaning mate- rials in order to prevent fires.
Product Transfer	:	Proper grounding and bonding procedures should be used during all bulk transfer operations to avoid static accumulation.
Hygiene measures	:	Exposure to this product should be reduced as low as reason- ably practicable. Reference should be made to the Health and Safety Executive's publication "COSHH Essentials".
7.2 Conditions for safe storage,	incl	uding any incompatibilities
Further information on stor- age stability	:	Keep container tightly closed and in a cool, well-ventilated place. Use properly labeled and closable containers. Store at ambient temperature.
		Refer to section 15 for any additional specific legislation cov- ering the packaging and storage of this product. The storage of this product may be subject to the Control of Pollution (Oil Storage) (England) Regulations. Further guid- ance may be obtained from the local environmental agency office.
Packaging material	:	Suitable material: For containers or container linings, use mild steel or high density polyethylene. Unsuitable material: PVC.
Container Advice	:	Polyethylene containers should not be exposed to high tem- peratures because of possible risk of distortion.

7.3 Specific end use(s)

According to EC No 1907/2006 as amended as at the date of this SDS

AeroShell Turbine Oil 560

Version	Revision Date:	SDS Number:	Date of last issue: 15.11.2022	
5.1	11.04.2023	800001001488	Print Date 12.04.2023	

Specific use(s)

: Not applicable

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Biological occupational exposure limits

8.2 Exposure controls

Engineering measures

The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include:

Adequate ventilation to control airborne concentrations.

Where material is heated, sprayed or mist formed, there is greater potential for airborne concentrations to be generated.

General Information:

Define procedures for safe handling and maintenance of controls.

Educate and train workers in the hazards and control measures relevant to normal activities associated with this product.

Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal protective equipment, local exhaust ventilation.

Drain down system prior to equipment break-in or maintenance.

Retain drain downs in sealed storage pending disposal or subsequent recycle.

Always observe good personal hygiene measures, such as washing hands after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned. Practice good housekeeping.

Personal protective equipment

The provided information is made in consideration of the PPE directive (Council Directive 89/686/EEC) and the CEN European Committee for Standardisation (CEN) standards.

Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.

Eye protection :	If material is handled such that it could be splashed into eyes, protective eyewear is recommended. Approved to EU Standard EN166.	
Hand protection		
Remarks :	Where hand contact with the product may occur the use of gloves approved to relevant standards (e.g. Europe: EN374, US: F739) made from the following materials may provide suitable chemical protection. PVC, neoprene or nitrile rubber gloves Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical re-	
	6/00	

According to EC No 1907/2006 as amended as at the date of this SDS

AeroShell Turbine Oil 560

Versi 5.1	on	Revision Date: 11.04.2023		DS Number: 00001001488	Date of last issue: 15.11.2022 Print Date 12.04.2023
	glove suppliers. Personal hygien Gloves must onl gloves, hands sl cation of a non-p For continuous of through time of r 480 minutes who short-term/splas recognize that si may not be avail time maybe acco and replacemen a good predictor dependent on th Glove thickness		glove suppliers. C Personal hygiene Gloves must only gloves, hands sho cation of a non-per For continuous co through time of m 480 minutes wher short-term/splash recognize that sui may not be availa time maybe accept and replacement a good predictor of dependent on the Glove thickness s	material, dexterity. Always seek advice from contaminated gloves should be replaced. is a key element of effective hand care. be worn on clean hands. After using build be washed and dried thoroughly. Appli- erfumed moisturizer is recommended. ontact we recommend gloves with break- ore than 240 minutes with preference for > e suitable gloves can be identified. For protection we recommend the same but table gloves offering this level of protection ble and in this case a lower breakthrough otable so long as appropriate maintenance regimes are followed. Glove thickness is not of glove resistance to a chemical as it is exact composition of the glove material. hould be typically greater than 0.35 mm glove make and model.	
Ş	Skin an	d body protection	:	work clothes.	not ordinarily required beyond standard to wear chemical resistant gloves.
F	Respira	tory protection	:	conditions of use. In accordance wit tions should be ta If engineering con tions to a level wh select respiratory cific conditions of Check with respira Where air-filtering priate combination Select a filter suita	tection is ordinarily required under normal h good industrial hygiene practices, precau- ken to avoid breathing of material. trols do not maintain airborne concentra- ich is adequate to protect worker health, protection equipment suitable for the spe- use and meeting relevant legislation. atory protective equipment suppliers. respirators are suitable, select an appro- n of mask and filter. able for combined particulate/organic gases e A/Type P boiling point > 65°C (149°F)] ' and EN143.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: Liquid at room temperature.
Colour	: Various colours
Odour	: Slight hydrocarbon
Odour Threshold	: Data not available
Melting / freezing point	: Data not available

According to EC No 1907/2006 as amended as at the date of this SDS

AeroShell Turbine Oil 560

/ersion 5.1	Revision Date: 11.04.2023		S Number: 001001488	Date of last issue: 15.11.2022 Print Date 12.04.2023
pour p	oint		-60 °C Method: ASTM [097
Initial b range	poiling point and boiling	:	> 280 °Cestimate	ed value(s)
Flamm	nability			
Fla	mmability (solid, gas)	:	Not applicable	
Fla	mmability (liquids)	:	Not classified as	flammable but will burn.
Lower	explosion limit and upp	er ex	plosion limit / flan	nmability limit
	pper explosion limit / oper flammability limit	:	Typical 10 %(V)	
	ower explosion limit / ower flammability limit	:	Typical 1 %(V)	
Flash p	point	:	262 °C Method: Unspec	fied
Auto-iç	gnition temperature	:	> 320 °C	
	nposition temperature composition tempera- e	:	Data not availab	е
рН		:	Not applicable	
Viscos Vis	ity cosity, dynamic	:	Data not availabl	e
Vis	cosity, kinematic	:	5.21 mm2/s (100 Method: ASTM [
			26.7 mm2/s (40.4 Method: ASTM [
			10229 mm2/s (-4 Method: Unspec	
	lity(ies) ter solubility	:	negligible	
Sol	ubility in other solvents	:	Data not availab	e
	on coefficient: n- I/water	:	log Pow: > 6 (based on information on similar products)	
Vapou	r pressure	:	< 0.5 Pa (20 °C)	

According to EC No 1907/2006 as amended as at the date of this SDS

AeroShell Turbine Oil 560

Versior 5.1	n Revision Date: 11.04.2023	SDS Number:Date of last issue800001001488Print Date 12.04			
		estimated value(s)			
Re	elative density	: 0.993 (15.6 °C)			
De	ensity	: 993 kg/m3 (15.6 °C) Method: Unspecified			
Re	elative vapour density	: > 1 estimated value(s)			
Particle characteristics Particle size		: Data not available			
9.2 Oth	ner information				
Ex	plosives	: Classification Code: Not classified			
O	kidizing properties	: Data not available			
Fla	ammability (liquids)	: Not classified as flammable but will burn.			
E٧	aporation rate	: Data not available			
Co	onductivity	: This material is not expected to be	a static accumulator.		

SECTION 10: Stability and reactivity

10.1 Reactivity

The product does not pose any further reactivity hazards in addition to those listed in the following sub-paragraph.

10.2 Chemical stability

Stable.

No hazardous reaction is expected when handled and stored according to provisions

10.3 Possibility of hazardous rea	ictio	ns
Hazardous reactions	:	Reacts with strong oxidising agents.
10.4 Conditions to avoid		
Conditions to avoid	:	Extremes of temperature and direct sunlight.
10.5 Incompatible materials		
Materials to avoid	:	Strong oxidising agents.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

According to EC No 1907/2006 as amended as at the date of this SDS

AeroShell Turbine Oil 560

Version	Revision Date:
5.1	11.04.2023

SDS Number: 800001001488 Date of last issue: 15.11.2022 Print Date 12.04.2023

SECTION 11: Toxicological information

•		Skin and eye contact are the primary routes of exposure a nough exposure may occur following accidental ingestion.
exposure	ſ	lough exposure may occur following accidental ingestion.
Acute toxicity		
Product:		
Acute oral toxicity	I	LD50 (rat): > 5,000 mg/kg Remarks: Low toxicity Based on available data, the classification criteria are not
Acute inhalation toxicity		Remarks: Based on available data, the classification criter are not met.
Acute dermal toxicity	I	LD50 (Rabbit): > 5,000 mg/kg Remarks: Low toxicity Based on available data, the classification criteria are not i
Skin corrosion/irritation		
Product:		
Remarks	 (;	Slightly irritating to skin. Prolonged or repeated skin contact without proper cleanin can clog the pores of the skin resulting in disorders such a acne/folliculitis. Based on available data, the classification criteria are not
Serious eye damage/eye	irritatio	n
Product:		
Remarks		Slightly irritating to the eye. Based on available data, the classification criteria are not
Respiratory or skin sensi	tisation	
Product:		
Remarks	I	For respiratory and skin sensitisation: Not a sensitiser. Based on available data, the classification criteria are not
Germ cell mutagenicity		
Product:		
Genotoxicity in vivo		Remarks: Non mutagenic Based on available data, the classification criteria are not

According to EC No 1907/2006 as amended as at the date of this SDS

AeroShell Turbine Oil 560

Version 5.1	Revision Date: 11.04.2023		DS Number: 00001001488	Date of last issue: 15.11.2022 Print Date 12.04.2023
Germ sessn	cell mutagenicity- As- nent	:	This product does categories 1A/1B	s not meet the criteria for classification in
Carci	nogenicity			
Produ	uct:			
Rema	arks	:		le data, the classification criteria are not met.
Carcii ment	nogenicity - Assess-	:	This product does categories 1A/1B	s not meet the criteria for classification in

Material	GHS/CLP Carcinogenicity Classification
Aryl amine	No carcinogenicity classification.
Triaryl phosphate	No carcinogenicity classification.

Reproductive toxicity		
Product: Effects on fertility	:	Remarks: Not a developmental toxicant., Does not impair fertility., Based on available data, the classification criteria are not met.
Reproductive toxicity - As- sessment	:	This product does not meet the criteria for classification in categories 1A/1B.
STOT - single exposure		
<u>Product:</u> Remarks	:	Based on available data, the classification criteria are not met.
STOT - repeated exposure		
<u>Product:</u> Remarks	:	Based on available data, the classification criteria are not met.
Aspiration toxicity		

Product:

Not an aspiration hazard., Based on available data, the classification criteria are not met.

According to EC No 1907/2006 as amended as at the date of this SDS

AeroShell Turbine Oil 560

Version 5.1	Revision Date: 11.04.2023	SDS Number: 800001001488	Date of last issue: 15.11.2022 Print Date 12.04.2023
11.2 Info	rmation on other haza	ards	
End	ocrine disrupting pro	perties	
Proc	duct:		
Asse	ered to have endocrine disrupting properties ac REACH Article 57(f) or Commission Delegated		le 57(f) or Commission Delegated regulation 00 or Commission Regulation (EU) 2018/605 at
Furt	her information		
Proc	duct:		
Rem	narks	lated during u depend on us environment ALL used oil	y contain harmful impurities that have accumu- use. The concentration of such impurities will se and they may present risks to health and the on disposal. should be handled with caution and skin contact ar as possible.
Rem	narks	: Slightly irritat	ing to respiratory system.
Rem	narks	: Classification frameworks r	s by other authorities under varying regulatory nay exist.
Rem	narks		ated otherwise, the data presented is representa- oduct as a whole, rather than for individual com-

SECTION 12: Ecological information

12.1 Toxicity

Product:		
Toxicity to fish	:	Remarks: LL/EL/IL50 10-100 mg/l Harmful
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: LL/EL/IL50 10-100 mg/l Harmful
Toxicity to algae/aquatic plants	:	Remarks: LL/EL/IL50 10-100 mg/l Harmful
Toxicity to fish (Chronic tox- icity)	:	Remarks: Data not available
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	Remarks: Data not available

According to EC No 1907/2006 as amended as at the date of this SDS

AeroShell Turbine Oil 560

Versio 5.1	on	Revision Date: 11.04.2023	-	DS Number: 00001001488	Date of last issue: 15.11.2022 Print Date 12.04.2023
Т	oxicity	to microorganisms	:	Remarks: Data not	available
<u>C</u>	Compo	onents:			
Ν	-	phosphate: or (Acute aquatic tox-	:	1	
	/I-Fact	or (Chronic aquatic)	:	1	
12.2 P	Persis	tence and degradabil	lity		
<u>P</u>	Produc	<u>>t:</u>			
В	Biodeg	radability	:		ily biodegradable. are inherently biodegradable, but contains com- ersist in the environment.
12.3 E	Bioaco	cumulative potential			
	Produc Bioacc	<u>et:</u> umulation	:	Remarks: Contains	components with the potential to bioaccumulate.
12.4 N	Nobili	ty in soil			
	Produce Article		:		under most environmental conditions., If it adsorb to soil particles and will not be mo-
		s of PBT and vPvB a	sse	ssment	
	Produce Assess		:		s not contain any REACH registered sub- assessed to be a PBT or a vPvB
12.6 E	Endoc	rine disrupting prope	ertie	es	
<u>P</u>	Produc	<u>::</u>			
A	SSESS	ment	:	have endocrine dist 57(f) or Commission	ture does not contain components considered to rupting properties according to REACH Article on Delegated regulation (EU) 2017/2100 or ation (EU) 2018/605 at levels of 0.1% or higher.

According to EC No 1907/2006 as amended as at the date of this SDS

AeroShell Turbine Oil 560

Version	Revision Date:	SDS Number:	Date of last issue: 15.11.2022
5.1	11.04.2023	800001001488	Print Date 12.04.2023

12.7 Other adverse effects

Product:	
Additional ecological infor- mation	: Does not have ozone depletion potential, photochemical ozone crea- tion potential or global warming potential. Product is a mixture of non-volatile components, which will not be released to air in any significant quantities under normal conditions of use.
	Poorly soluble mixture. Causes physical fouling of aquatic organisms.
	Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	Recover or recycle if possible. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste classification and disposal meth- ods in compliance with applicable regulations. Do not dispose into the environment, in drains or in water courses.
		Waste product should not be allowed to contaminate soil or ground water, or be disposed of into the environment. Waste, spills or used product is dangerous waste. Waste arising from a spillage or tank cleaning should be dis- posed of in accordance with prevailing regulations, preferably to a recognised collector or contractor. The competence of the collector or contractor should be established beforehand. Do not dispose of tank water bottoms by allowing them to drain into the ground. This will result in soil and groundwater contamination.
		MARPOL - see International Convention for the Prevention of Pollution from Ships (MARPOL 73/78) which provides technical aspects at controlling pollutions from ships.
Contaminated packaging	:	Dispose in accordance with prevailing regulations, preferably to a recognized collector or contractor. The competence of the collector or contractor should be established beforehand. Disposal should be in accordance with applicable regional, national, and local laws and regulations.
Local legislation		
Waste catalogue	:	

According to EC No 1907/2006 as amended as at the date of this SDS

AeroShell Turbine Oil 560

Version 5.1	Revision Date: 11.04.2023	SDS Number: 800001001488	Date of last issue: 15.11.2022 Print Date 12.04.2023
		EU Waste Dis	posal Code (EWC):
Waste	Code	: 13 02 06*	
Rema	rks	•	Id be in accordance with applicable regional, ocal laws and regulations.
		Classification user.	of waste is always the responsibility of the end
		Hazardous Wa	aste (England and Wales) Regulations 2005.

SECTION 14: Transport information

14.1 UN number or ID number		
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG IATA	:	Not regulated as a dangerous good Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG IATA	:	Not regulated as a dangerous good Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG IATA	:	Not regulated as a dangerous good Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG IATA	:	Not regulated as a dangerous good Not regulated as a dangerous good

According to EC No 1907/2006 as amended as at the date of this SDS

AeroShell Turbine Oil 560

Version 5.1	Revision Date: 11.04.2023	SDS Number: 800001001488	Date of last issue: 15.11.2022 Print Date 12.04.2023
14.5 Envir	onmental hazards		
ADR		: Not regulate	d as a dangerous good
RID		: Not regulate	d as a dangerous good
IMDG		: Not regulate	d as a dangerous good
14.6 Speci	al precautions for us	ser	
Rema	rks	for special p	cautions: Refer to Section 7, Handling & Storage, recautions which a user needs to be aware of or nply with in connection with transport.

14.7 Maritime transport in bulk according to IMO instruments

MARPOL Annex 1 rules apply for bulk shipments by sea.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	:	Product is not subject to Authorisa- tion under REACH.

Volatile organic compounds : Volatile organic compounds (VOC) content: 0 %

Other regulations:

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

Environmental Protection Act 1990 (as amended). Health and Safety at Work etc. Act 1974. Consumers Protection Act 1987. Pollution Prevention and Control Act 1999. Environment Act 1995. Factories Act 1961. The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment (Amendment) Regulations 2011. Chemicals (Hazard Information and Packaging for Supply) Regulations 2009. Control of Substances Hazardous to Health Regulations 2002 (as amended). Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997. Reporting of Injuries, Diseases and Dangerous Occurrences Regulations 1995 (as amended). Personal Protective Equipment Regulations 2002. Personal Protective Equipment at Work Regulations 1992. Hazardous Waste (England and Wales) Regulations 2005(as amended). Control of Major Accident Hazards Regulations 1999 (as amended). Renewable Transport Fuel Obligations Order 2007 (as amended). Energy Act 2011. Environmental Permitting (England and Wales) Regulations 2010 (as amended). Waste (England and Wales) Regulations 2011 (as amended). Planning (Hazardous Substances) Act 1990 and associated regulations. The Environmental Protection (Controls on Ozone-Depleting Substances) Regulations 2011.

According to EC No 1907/2006 as amended as at the date of this SDS

AeroShell Turbine Oil 560

Version	Revision Date: 11.04.2023	SDS Number:	Date of last issue: 15.11.2022
5.1		800001001488	Print Date 12.04.2023

The components of this product are reported in the following inventories				
REACH	:	All components listed or polymer exempt.		
TSCA	:	All components listed.		

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements		
H361f	:	Suspected of damaging fertility.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
H413	:	May cause long lasting harmful effects to aquatic life.
Full text of other abbreviation	ns	
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Repr.	:	Reproductive toxicity

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response: GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet;

According to EC No 1907/2006 as amended as at the date of this SDS

AeroShell Turbine Oil 560

Version	Revision Date:	SDS Number:	Date of last issue: 15.11.2022
5.1	11.04.2023	800001001488	Print Date 12.04.2023

SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information			
Training advice	:	Provide adequate information, instruction and training for op- erators.	
Other information	:	A vertical bar () in the left margin indicates an amendment from the previous version.	
Sources of key data used to compile the Safety Data Sheet	:	The quoted data are from, but not limited to, one or more sources of information (e.g. toxicological data from Shell Health Services, material suppliers' data, CONCAWE, EU IUCLID date base, EC 1272 regulation, etc).	
Classification of the mixtur	e:	Classification procedure:	
Classification of the mixtur Aquatic Chronic 3		Classification procedure:12Expert judgement and weight of evidence determination.	
Aquatic Chronic 3 Identified Uses according t	H4	Expert judgement and weight of evi- dence determination.	
Aquatic Chronic 3	H4	Expert judgement and weight of evi- dence determination.	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

ery.- Industrial

GB / EN

According to EC No 1907/2006 as amended as at the date of this SDS

AeroShell Turbine Oil 560

Version	Revision Date:	SDS Number:
5.1	11.04.2023	800001001488

Date of last issue: 15.11.2022 Print Date 12.04.2023

Exposure Scenario - Worker 300000010694

SECTION 1	EXPOSURE SCENARIO TITLE
Title	General use of lubricants and greases in vehicles or machin- ery Professional
Use Descriptor	Sector of Use: SU22 Process Categories: PROC 1, PROC 2, PROC 8a, PROC 8b, PROC 20 Environmental Release Categories: ERC9a, ERC9b, ATIEL-ATC SPERC 9.Bp.v1
Scope of process	Covers general use of lubricants and greases in vehicles or machinery in closed systems. Includes filling and draining of containers and operation of enclosed machinery (including engines) and associated maintenance and storage activities.

SECTION 2	OPERATIONAL CONDITIONS AND RISK MANAGEMENT MEASURES
Additional Information	No exposure assessment presented for human health.

ction 2.1 C	ontrol of Worker Exposure
duct Characteristics	

Contributing Scenarios Risk Management Measures

Section 2.2	Control of Environmental Exposure)	
Amounts Used			
EU tonnage (tonnes per year):	5,387.2	
Fraction of EU tonnage used	in region:	0.1	
Fraction of Regional tonnage	used locally:	0.1	
Frequency and Duration of	Use		
Emission Days (days/year):		365	
Environmental factors not	nfluenced by risk management		
Local freshwater dilution factor	or:	10	
Local marine water dilution fa	ictor:	100	
Other Operational Conditions affecting Environmental Exposure			
Negligible wastewater emissi	ons as process operates without water		
contact.			
Release fraction to air from p	rocess (after typical onsite RMMs) :		
Release fraction to wastewat	5.00E-04		
RMMs and before (municipal			
Release fraction to soil from	1E-03		
Technical conditions and measures at process level (source) to prevent release			
Common practices vary acros	ss sites thus conservative process re-		
lease estimates used.			
Technical onsite conditions sions and releases to soil	s and measures to reduce or limit dis	scharges, air emis-	

According to EC No 1907/2006 as amended as at the date of this SDS

AeroShell Turbine Oil 560

Version	Revision Date:	SDS Number:	Date of last issue: 15.11.2022
5.1	11.04.2023	800001001488	Print Date 12.04.2023

Prevent discharge of undissolved substance to or recover from onsite			
wastewater.			
Organisational measures to prevent/limit release from site			
Do not apply industrial sludge to natural soils.			
Sludge should be incinerated, contained or reclaimed.			
Conditions and Measures related to municipal sewage treatment p	lant		
Estimated substance removal from wastewater via domestic sewage	92.8		
treatment (%)			
Assumed domestic sewage treatment plant flow (m3/d)	2.00E+03		
Maximum allowable site quantity (MSafe) based on OCs and RMMs	1,363.4		
as above (kg/day) :			
Conditions and Measures related to external treatment of waste for disposal			
External treatment and disposal of waste should comply with applicable	e local and/or regional		
regulations.			
Conditions and measures related to external recovery of waste			

External recovery and recycling of waste should comply with applicable local and/or regional regulations.

SECTION 3

EXPOSURE ESTIMATION

Section 3.1 - Health

No exposure assessment presented for human health.

Section 3.2 - Environment

Used ECETOC TRA model.

SECTION 4

GUIDANCE TO CHECK COMPLIANCE WITH THE EXPOSURE SCENARIO

Section 4.1 - Health

No exposure assessment presented for human health.

Section 4.2 - Environment

Guidance is based on assumed operating conditions which may not be applicable to all sites; thus, scaling may be necessary to define appropriate site-specific risk management measures.

Further details on scaling and control technologies are provided in SpERC factsheet (http://cefic.org).

If scaling reveals a condition of unsafe use (i.e., RCRs > 1), additional RMMs or a sitespecific chemical safety assessment is required.

For further information see www.ATIEL.org/REACH_GES.

According to EC No 1907/2006 as amended as at the date of this SDS

AeroShell Turbine Oil 560

Version	Revision Date:	SDS Number:
5.1	11.04.2023	800001001488

Date of last issue: 15.11.2022 Print Date 12.04.2023

Exposure Scenario - Worker 300000010251

SECTION 1	EXPOSURE SCENARIO TITLE
Title	General use of lubricants and greases in vehicles or machin- ery Industrial
Use Descriptor	Sector of Use: SU3 Process Categories: PROC 1, PROC 2, PROC 8b, PROC 9 Environmental Release Categories: ERC4, ERC7, ATIEL- ATC SPERC 4.Bi.v1
Scope of process	Covers general use of lubricants and greases in vehicles or machinery in closed systems. Includes filling and draining of containers and operation of enclosed machinery (including engines) and associated maintenance and storage activities.

ME	ERATIONAL CONDITIONS AND RISK MANAGEMENT ASURES
Additional Information No	exposure assessment presented for human health.

Section 2.1	Control of Worker Exposure
Product Characteristics	

Contributing Scenarios Risk Management Measures

Section 2.2	Control of Environmental Exposure	9
Amounts Used	•	
EU tonnage (tonnes per year)):	2.63E+03
Fraction of EU tonnage used in region:		0.1
Fraction of Regional tonnage	used locally:	0.1
Frequency and Duration of	Use	
Emission Days (days/year):		300
Environmental factors not i	nfluenced by risk management	
Local freshwater dilution factor:		10
Local marine water dilution factor:		100
Other Operational Condition	ns affecting Environmental Exposure	e
Negligible wastewater emission	ons as process operates without water	
contact.		
Release fraction to air from p	rocess (after typical onsite RMMs) :	5.00E-05
Release fraction to wastewater from process (after typical onsite		2.00E-11
RMMs and before (municipal)		
Release fraction to soil from process (after typical onsite RMMs):		0
	leasures at process level (source) to	prevent release
	ss sites thus conservative process re-	
lease estimates used.		
	and measures to reduce or limit dis	scharges, air emis-
sions and releases to soil		
Treat air emission to provide	a typical removal efficiency of (%)	70

According to EC No 1907/2006 as amended as at the date of this SDS

AeroShell Turbine Oil 560

Version	Revision Date:	SDS Number:	Date of last issue: 15.11.2022
5.1	11.04.2023	800001001488	Print Date 12.04.2023

Prevent discharge of undissolved substance to or recover from onsite wastewater.	
User sites are assumed to be provided with oil/water separators or	
equivalent and for waste water to be discharged via public sewer sys-	
tem.	
Organisational measures to prevent/limit release from site	
Do not apply industrial sludge to natural soils.	
Sludge should be incinerated, contained or reclaimed.	
Conditions and Measures related to municipal sewage treatment p	olant
Estimated substance removal from wastewater via domestic sewage	9.28265E+01
treatment (%)	
Assumed domestic sewage treatment plant flow (m3/d)	2.00E+03
Maximum allowable site quantity (MSafe) based on OCs and RMMs	4.0988696E+06
as above (kg/day) :	
Conditions and Measures related to external treatment of waste for	r disposal
External treatment and disposal of waste should comply with applicable	
regulations.	Ŭ
5	
Conditions and measures related to external recovery of waste	
External recovery and recycling of waste should comply with applicable regulations.	e local and/or regiona

SECTION 3

EXPOSURE ESTIMATION

Section 3.1 - Health

No exposure assessment presented for human health.

Section 3.2 - Environment

Used ECETOC TRA model.

SECTION 4

GUIDANCE TO CHECK COMPLIANCE WITH THE EXPOSURE SCENARIO

Section 4.1 - Health

No exposure assessment presented for human health.

Section 4.2 - Environment

Guidance is based on assumed operating conditions which may not be applicable to all sites; thus, scaling may be necessary to define appropriate site-specific risk management measures.

Further details on scaling and control technologies are provided in SpERC factsheet (http://cefic.org).

If scaling reveals a condition of unsafe use (i.e., RCRs > 1), additional RMMs or a sitespecific chemical safety assessment is required.

For further information see www.ATIEL.org/REACH_GES.

According to EC No 1907/2006 as amended as at the date of this SDS

AeroShell Turbine Oil 560

Version Revision Date: 5.1 11.04.2023 SDS Number: 800001001488

Date of last issue: 15.11.2022 Print Date 12.04.2023