

/ersion 4.1	Revision Date 12.10.2010	
. Identification of the sub	tance/mixture and of the company/under	taking
1.1 Product identifier		
Trade name	: Ardrox 5503	
I.2 Relevant identified uses o	the substance or mixture and uses advised a	against
Use of the Sub- stance/Mixture	: Cleaning agent	
.3 Details of the supplier of	ne safety data sheet	
Company	: Chemetall plc Denbigh Road Bletchley Milton Keynes MK1 1PB	
Lead Organisation Contact person Telephone Telefax	: 01908 649333 01908 373939	
Product safety Telephone E-mail address	: : +49(0)6971652832 : msds.de@chemetall.com	
1.4 Emergency telephone nu	iber	
Emergency telephone number	: 01908 649333	
2. Hazards identification		
2.1 Classification of the subs	ance or mixture	
Classification (REGULA	ION (EC) No 1272/2008)	
Aspiration hazard, Catego	y 1 H304: May be fatal if swallowe ways.	d and enters air-
Classification (67/548/EE Harmful	<b>C, 1999/45/EC)</b> R65: Harmful: may cause lung lowed. R66: Repeated exposure may or cracking.	Ū.
2.2 Label elements		
Labelling (REGULATION	(EC) No 1272/2008)	
	1 / 11	

sion 4.1		Revision Date	12.10.2010
Hazard pictograms	:		
Signal word	:	Danger	
Hazard statements	:	H304	May be fatal if swallowed and enters air- ways.
	:	EUH066	Repeated exposure may cause skin dry- ness or cracking.
Precautionary statements		P261 <b>Prevention:</b> P262 P280 <b>Response:</b> P301 + P330 + F	<ul> <li>Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.</li> <li>Do not get in eyes, on skin, or on clothing. Wear protective gloves/ eye protection/ face protection.</li> <li>P331 IF SWALLOWED: rinse mouth. Do</li> </ul>
Llazardava componento ubi		P315	NOT induce vomiting. Get immediate medical advice/ attention.
	ch mu ohtha	P315 ust be listed on th (petroleum), hyd	NOT induce vomiting. Get immediate medical advice/ attention. he label: drotreated heavy
64742-48-9 Nap     Labelling according to EC	ch mu ohtha	P315 ust be listed on th (petroleum), hyd	NOT induce vomiting. Get immediate medical advice/ attention. he label: drotreated heavy
• 64742-48-9 Nap	ch mu ohtha <b>Dire</b> d :	P315 ust be listed on th (petroleum), hyd ctives (67/548/E	NOT induce vomiting. Get immediate medical advice/ attention. he label: drotreated heavy
64742-48-9 Nap     Labelling according to EC	ch mu ohtha <b>Dire</b> d :	P315 ust be listed on th (petroleum), hyd	NOT induce vomiting. Get immediate medical advice/ attention. he label: drotreated heavy <b>EC)</b> Harmful: may cause lung damage if swal-
64742-48-9 Nap <b>Labelling according to EC</b> Hazard pictograms	ch mu ohtha <b>Dire</b> d :	P315 ust be listed on th (petroleum), hyd ctives (67/548/E	NOT induce vomiting. Get immediate medical advice/ attention. he label: drotreated heavy <b>EC</b> )
64742-48-9 Nap     Labelling according to EC     Hazard pictograms	ch mu ohtha <b>Dire</b> d :	P315 ust be listed on th (petroleum), hyd ctives (67/548/E farmful R65	NOT induce vomiting. Get immediate medical advice/ attention. he label: drotreated heavy EC) Harmful: may cause lung damage if swal- lowed. Repeated exposure may cause skin dry- ness or cracking. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin and eyes. Wear suitable gloves and eye/face protec-
<ul> <li>64742-48-9 Nap</li> <li>Labelling according to EC</li> <li>Hazard pictograms</li> <li>R-phrase(s)</li> </ul>	ch mu ohtha <b>Dire</b> d :	P315 ust be listed on th (petroleum), hyd ctives (67/548/E Marmful R65 R66 S23 S24/25	NOT induce vomiting. Get immediate medical advice/ attention. he label: drotreated heavy EC) Harmful: may cause lung damage if swal- lowed. Repeated exposure may cause skin dry- ness or cracking. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin and eyes.

## Chemetall

### Ardrox 5503

Version 4.1

Revision Date 12.10.2010

container or label.

Hazardous components which must be listed on the label:

64742-48-9 Naphtha (petroleum), hydrotreated heavy

#### 2.3 Other hazards

The information required is contained in this Material Safety Data Sheet.

#### 3. Composition/information on ingredients

#### 3.1 Substances

Identification: Ardrox 5503

Chemical nature

### 3.2 Mixtures

: Mixture of organic solvents.

#### Hazardous components

Chemical Name	CAS-No. EC-No. Registration num- ber	Classification (67/548/EEC)	Classification (REGULATION (EC) No 1272/2008)	Concentration [%]
Naphtha (petroleum), hydrotreated heavy	64742-48-9 265-150-3	Xn; R65 R66 Nota H, Nota P, Nota L	Asp. Tox. 1; H304	<= 100

For the full text of the R-phrases mentioned in this Section, see Section 16. For the full text of the H-Statements mentioned in this Section, see Section 16. For the full text of the Notas mentioned in this Section, see Section 16.

#### 4. First aid measures

#### 4.1 Description of first aid measures

General advice	: First-aid crew: Ensure self-protection. Move out of dangerous area. Take off contaminated clothing and shoes immediately.	
If inhaled	: Move to fresh air. If symptoms persist, call a physician.	
In case of skin contact	: Wash off with soap and plenty of water. If symptoms persist, call a physician.	
In case of eye contact	: Rinse immediately with plenty of water, also under the eyelids. Consult a physician.	
If swallowed	: Clean mouth with water and drink afterwards plenty of water.	
		ΞN

Ardrox 5503	
Version 4.1	Revision Date 12.10.2010
	Do NOT induce vomiting. If swallowed, seek medical advice immediately and show this container or label.
4.2 Most important symptoms an	d effects, both acute and delayed
Symptoms	: Nausea Headache Dizziness
Risks	: Risk of serious damage to the lungs (by aspiration).
4.3 Indication of immediate medi	cal attention and special treatment needed
Treatment	: Treat symptomatically. For specialist advice physicians should contact the Poisons Information Service.
5. Fire-fighting measures	
5.1 Extinguishing media	
Suitable extinguishing media	: Carbon dioxide (CO2) Dry powder Alcohol-resistant foam Water spray
Unsuitable extinguishing media	: High volume water jet
5.2 Special hazards arising from	
Specific hazards during fire fighting	: May form toxic gases on heating or in case of fire. Carbon monoxide Carbon dioxide (CO2)
5.3 Precautions for fire-fighters	
Special protective equipment for fire-fighters	: In the event of fire, wear self-contained breathing apparatus.
Further information	: Use water spray to cool unopened containers.
6. Accidental release measure	S
6.1 Personal precautions, protect	tive equipment and emergency procedures
Personal precautions	: Wear personal protective equipment.
6.2 Environmental precautions	
Environmental precautions	: Do not flush into surface water or sanitary sewer system. Avoid subsoil penetration.
	4 / 11

Version 4.1       Revision Date 12.10.2010         Inform the relevant authorities if it enters sewers, aquatic environment or soil. <b>5.3 Methods and materials for containment and cleaning up</b> Methods for cleaning up <ul> <li>Ensure adequate ventiliation.</li></ul>	Ardrox 5503	
6.3 Methods and materials for containment and cleaning up         Methods for cleaning up       Ensure adequate ventiliation. Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).         6.4 Reference to other sections         See chapter 8 and 13         7. Handling and storage         7.1 Precautions for safe handling         Advice on safe handling         Provide sufficient air exchange and/or exhaust in work rooms. Have eye wash bottle or eye rinse ready at the work place.         Advice on protection against fire and explosion         Take precautionary measures for preventive fire protection. Take precautionary measures against static discharges. Vapours may form explosive mixtures with air.         7.2 Conditions for safe storage, including any incompatibilities         Requirements for storage areas and containers       : Keep containers tightly closed in a dry, cool and well- ventilated place. Keep away from heat.         7.3 Specific end uses       : Cleaning agent         8. Exposure controls/personal protection         8.1 Control parameters         Contains no substances with occupational exposure limit values.         8.2 Exposure controls         Ensure adequate ventilation, especially in confined areas. Electrical equipment should be protected to the appropriate standard.	Version 4.1	Revision Date 12.10.2010
Methods for cleaning up       : Ensure adequate ventilation. Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).         6.4 Reference to other sections         See chapter 8 and 13         7. Handling and storage         7.1 Precautions for safe handling         Advice on protection against fire and explosion       : Provide sufficient air exchange and/or exhaust in work rooms. Have eye wash bottle or eye rinse ready at the work place.         Advice on protection against fire and explosion       : Keep away from sources of ignition - No smoking. Normal measures for preventive fire protection. Take precautionary measures against static discharges. Vapours may form explosive mixtures with air.         7.2 Conditions for safe storage areas and containers       : Keep containers tightly closed in a dry, cool and well- ventilated place. Keep away from heat.         7.3 Specific end uses Specific use(s)       : Cleaning agent         8. Exposure controls/personal protection         8.1 Control parameters Contains no substances with occupational exposure limit values.         8.2 Exposure controls         Ensure adequate ventilation, especially in confined areas. Electrical equipment should be protected to the appropriate standard.		•
Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13). 6.4 Reference to other sections See chapter 8 and 13 7. Handling and storage 7.1 Precautions for safe handling Advice on safe handling : Provide sufficient air exchange and/or exhaust in work rooms. Have eye wash bottle or eye rinse ready at the work place. Advice on protection against fire and explosion : Keep away from sources of ignition - No smoking. Normal measures for preventive fire protection. Take precautionary measures against static discharges. Vapours may form explosive mixtures with air. 7.2 Conditions for safe storage areas and containers : Keep containers tightly closed in a dry, cool and well- veriliated place. Keep away from heat. 7.3 Specific end uses Specific use(s) : Cleaning agent 8. Exposure controls/personal protection 8.1 Control parameters Contains no substances with occupational exposure limit values. 8.2 Exposure controls/personal protection 8.1 Control parameters Contains no substances with occupational exposure limit values. 8.2 Exposure controls Bingineering measures Ensure adequate ventilation, especially in confined areas. Electrical equipment should be protected to the appropriate standard.	6.3 Methods and materials for co	ntainment and cleaning up
See chapter 8 and 13         7. Handling and storage         7.1 Precautions for safe handling         Advice on safe handling       Provide sufficient air exchange and/or exhaust in work rooms. Have eye wash bottle or eye rinse ready at the work place.         Advice on protection against fire and explosion       Keep away from sources of ignition - No smoking. Normal measures for preventive fire protection. Take precautionary measures against static discharges. Vapours may form explosive mixtures with air.         7.2 Conditions for safe storage, including any incompatibilities         Requirements for storage areas and containers       Keep containers tightly closed in a dry, cool and well- ventilated place. Keep away from heat.         7.3 Specific end uses       Keep away from heat.         8. Exposure controls/personal protection         8. Exposure controls/personal protection         8. Contains no substances with occupational exposure limit values.         8. Exposure controls         8. Exposure controls         8. Exposure controls         8. Exposure controls         8. Engineering measures         Ensure adequate ventilation, especially in confined areas. Electrical equipment should be protected to the appropriate standard.	Methods for cleaning up	Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local /
7. Handling and storage         7.1 Precautions for safe handling         Advice on safe handling       : Provide sufficient air exchange and/or exhaust in work rooms. Have eye wash bottle or eye rinse ready at the work place.         Advice on protection against fire and explosion       : Keep away from sources of ignition - No smoking. Normal measures for preventive fire protection. Take precautionary measures against static discharges. Vapours may form explosive mixtures with air.         7.2 Conditions for safe storage, including any incompatibilities         Requirements for storage areas and containers       : Keep containers tightly closed in a dry, cool and well- ventilated place. Keep away from heat.         7.3 Specific end uses       : Cleaning agent         Specific use(s)       : Cleaning agent         8. Exposure controls/personal protection         8.1 Control parameters         Contains no substances with occupational exposure limit values.         8. Exposure controls         Engineering measures         Ensure adequate ventilation, especially in confined areas. Electrical equipment should be protected to the appropriate standard.	6.4 Reference to other sections	
7.1 Precautions for safe handling       Advice on safe handling       Provide sufficient air exchange and/or exhaust in work rooms. Have eye wash bottle or eye rinse ready at the work place.         Advice on protection against fire and explosion       Keep away from sources of ignition - No smoking. Normal measures for preventive fire protection. Take precautionary measures against static discharges. Vapours may form explosive mixtures with air.         7.2 Conditions for safe storage, including any incompatibilities       Requirements for storage is keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat.         7.3 Specific end uses       Specific use(s)       : Cleaning agent         8. Exposure controls/personal protection       8.         8.1 Control parameters       Contains no substances with occupational exposure limit values.         8.2 Exposure controls       Engineering measures         Ensure adequate ventilation, especially in confined areas. Electrical equipment should be protected to the appropriate standard.	See chapter 8 and 13	
Advice on safe handling       : Provide sufficient air exchange and/or exhaust in work rooms. Have eye wash bottle or eye rinse ready at the work place.         Advice on protection against fire and explosion       : Keep away from sources of ignition - No smoking. Normal measures for preventive fire protection. Take precautionary measures against static discharges. Vapours may form explosive mixtures with air.         7.2 Conditions for safe storage areas and containers       : Keep containers tightly closed in a dry, cool and well- ventilated place. Keep away from heat.         7.3 Specific end uses       : Cleaning agent         8. Exposure controls/personal protection         8.1 Control parameters         Contains no substances with occupational exposure limit values.         8.2 Exposure controls         Engineering measures         Ensure adequate ventilation, especially in confined areas. Electrical equipment should be protected to the appropriate standard.	7. Handling and storage	
Have eye wash bottle or eye rinse ready at the work place.         Advice on protection against fire and explosion       : Keep away from sources of ignition - No smoking. Normal measures for preventive fire protection. Take precautionary measures against static discharges. Vapours may form explosive mixtures with air.         7.2 Conditions for safe storage, including any incompatibilities       Requirements for storage areas and containers         :       Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat.         7.3 Specific end uses       :         Specific use(s)       :         8. Exposure controls/personal protection         8.1 Control parameters         Contains no substances with occupational exposure limit values.         8.2 Exposure controls         Engineering measures         Ensure adequate ventilation, especially in confined areas. Electrical equipment should be protected to the appropriate standard.	7.1 Precautions for safe handling	
fire and explosion       Normal measures for preventive fire protection.         Take precautionary measures against static discharges.         Vapours may form explosive mixtures with air.         7.2 Conditions for safe storage, including any incompatibilities         Requirements for storage areas and containers       : Keep containers tightly closed in a dry, cool and well-ventilated place.         Keep away from heat.       : Keep away from heat.         7.3 Specific end uses       : Cleaning agent         Specific use(s)       : Cleaning agent         8. Exposure controls/personal protection         8.1 Control parameters         Contains no substances with occupational exposure limit values.         8.2 Exposure controls         Engineering measures         Ensure adequate ventilation, especially in confined areas.         Electrical equipment should be protected to the appropriate standard.	Advice on safe handling	
Requirements for storage areas and containers       : Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat.         7.3 Specific end uses       Specific use(s)       : Cleaning agent         8. Exposure controls/personal protection       8.1 Control parameters       Contains no substances with occupational exposure limit values.         8.2 Exposure controls       Engineering measures       Ensure adequate ventilation, especially in confined areas. Electrical equipment should be protected to the appropriate standard.		Normal measures for preventive fire protection. Take precautionary measures against static discharges.
areas and containers ventilated place. Keep away from heat. 7.3 Specific end uses Specific use(s) : Cleaning agent 8. Exposure controls/personal protection 8.1 Control parameters Contains no substances with occupational exposure limit values. 8.2 Exposure controls Engineering measures Ensure adequate ventilation, especially in confined areas. Electrical equipment should be protected to the appropriate standard.	7.2 Conditions for safe storage, i	ncluding any incompatibilities
Specific use(s)       : Cleaning agent         8. Exposure controls/personal protection         8.1 Control parameters         Contains no substances with occupational exposure limit values.         8.2 Exposure controls         Engineering measures         Ensure adequate ventilation, especially in confined areas.         Electrical equipment should be protected to the appropriate standard.		ventilated place.
<ul> <li>8. Exposure controls/personal protection</li> <li>8.1 Control parameters <ul> <li>Contains no substances with occupational exposure limit values.</li> </ul> </li> <li>8.2 Exposure controls <ul> <li>Engineering measures</li> <li>Ensure adequate ventilation, especially in confined areas.</li> <li>Electrical equipment should be protected to the appropriate standard.</li> </ul> </li> </ul>	7.3 Specific end uses	
<ul> <li>8.1 Control parameters</li> <li>Contains no substances with occupational exposure limit values.</li> <li>8.2 Exposure controls</li> <li>Engineering measures</li> <li>Ensure adequate ventilation, especially in confined areas.</li> <li>Electrical equipment should be protected to the appropriate standard.</li> </ul>	Specific use(s)	: Cleaning agent
Contains no substances with occupational exposure limit values. 8.2 Exposure controls Engineering measures Ensure adequate ventilation, especially in confined areas. Electrical equipment should be protected to the appropriate standard.	8. Exposure controls/personal	I protection
<ul> <li>8.2 Exposure controls</li> <li>Engineering measures</li> <li>Ensure adequate ventilation, especially in confined areas.</li> <li>Electrical equipment should be protected to the appropriate standard.</li> </ul>	8.1 Control parameters	
<b>Engineering measures</b> Ensure adequate ventilation, especially in confined areas. Electrical equipment should be protected to the appropriate standard.	•	occupational exposure limit values.
Ensure adequate ventilation, especially in confined areas. Electrical equipment should be protected to the appropriate standard.	8.2 Exposure controls	
Electrical equipment should be protected to the appropriate standard.	Engineering measures	
5 / 11		
		5/11

## Chemetall

### Andrew EE02

Ardrox 5503	
Version 4.1	Revision Date 12.10.2010
Personal protective equipm	ent
Respiratory protection	<ul> <li>In case of insufficient ventilation wear suitable respiratory equipment. Recommended Filter type: A-P2</li> </ul>
Hand protection	<ul> <li>Nitrile rubber butyl-rubber</li> <li>Protective gloves complying with EN 374.</li> <li>Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local condi- tions under which the product is used, such as the danger of cuts, abrasion, and the contact time.</li> </ul>
Eye protection	: Tightly fitting safety goggles
Skin and body protection	: Chemical resistant protective clothing according to DIN EN 13034 (Type 6)
Hygiene measures	<ul> <li>Take off contaminated clothing and shoes immediately. Keep away from food, drink and animal feedingstuffs. Wash hands before breaks and immediately after handling the product. Avoid contact with skin and eyes. Do not breathe vapour. Do not breathe spray.</li> </ul>
Environmental exposure co	ntrols
General advice	: Do not flush into surface water or sanitary sewer system. Avoid subsoil penetration. Inform the relevant authorities if it enters sewers, aquatic envi- ronment or soil.
9. Physical and chemical pro	perties
9.1 Information on basic physica	al and chemical properties
Appearance	: liquid
Colour	: colourless
Odour	: mild
Flash point	: 63 °C Method: ASTM D 93
Ignition temperature	: > 200 °C

6 / 11

# Chemetall

### Ardrox 5503

Version 4.1	Revision Date 12.10.2010	
Lower explosion limit	: 0.7 %(V)	
Upper explosion limit	: 5.3 %(V)	
Autoignition temperature	: 335 °C	
Melting point/range	: <0°C	
Boiling point/boiling range	: > 177 °C	
Density	: 0.773 g/cm3 at 20 °C	
Water solubility	: < 0.1 g/L practically insoluble	
Viscosity, kinematic	: 1.26 mm2/s at 40 °C Method: ASTM D 445	
9.2 Other information		
Explosivity	: Vapours may form explosive mixture with air.	
10. Stability and reactivity		
10.1 Reactivity		
No dangerous reaction know	n under conditions of normal use.	
10.2 Chemical stability		
Stable under normal condition <b>10.3 Possibility of hazardous re</b>		
Hazardous reactions	: None known.	
10.4 Conditions to avoid		
Conditions to avoid	<ul> <li>Extremes of temperature and direct sunlight. Keep away from open flames, hot surfaces and sources of ignition.</li> </ul>	
	7 / 11	- E1
		-

Version 4.1	Revision Date 12.10.2010
0.5 Incompatible materials	
Materials to avoid	: Strong oxidizing agents
10.6 Hazardous decomposition	products
Risk of decomposition.	: No decomposition if stored and applied as directed.
11. Toxicological information	n
11.1 Information on toxicologic	al effects
Acute toxicity	
Acute oral toxicity Naphtha (petroleum), hy- drotreated heavy	: LD50: > 2,000 mg/kg Species: rat
Acute dermal toxicity Naphtha (petroleum), hy- drotreated heavy	: LD50: > 2,000 mg/kg Species: rabbit
Skin corrosion/irritation	
Skin irritation	: May cause skin irritation in susceptible persons.
Serious eye damage/eye ir	ritation
Eye irritation	: May cause eye irritation with susceptible persons.
Respiratory or skin sensiti	zation
Sensitisation	: no data available
Human experience	: Repeated exposure may cause skin dryness or cracking., Chronic exposure may cause nausea and vomiting, higher exposure causes unconsciousness., Inhalation of vapour irri- tates the respiratory tract., May cause headache and dizzi- ness.
Further information	: Harmful: may cause lung damage if swallowed.

Ardrox 5503	
Version 4.1	Revision Date 12.10.2010
12. Ecological information	
12.1 Toxicity	
12.2 Persistence and degradab	ility
Biodegradability	: no data available
12.3 Bioaccumulative potential	
Bioaccumulation	: no data available
12.4 Mobility in soil	
Distribution among environ- mental compartments 12.5 Results of PBT and vPvB a	
no data available	
12.6 Other adverse effects	
Additional ecological informa tion	<ul> <li>a- : slightly water endangering</li> <li>Do not flush into surface water or sanitary sewer system.</li> <li>Do not allow material to contaminate ground water system.</li> </ul>
13. Disposal considerations	
13.1 Waste treatment methods	
Product	: Dispose of in accordance with local regulations.
Contaminated packaging	: Dispose of as unused product.
Waste Key Number	: Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.
14. Transport information	
<b>ADR</b> Not dangerous goods	
<b>IATA</b> Not dangerous goods	
	9 / 11

Ardrox 5503	
Version 4.1	Revision Date 12.10.2010
IMDG Not dangerous	goods
<b>RID</b> Not dangerous	goods
15. Regulatory in	formation
15.1 Safety, health	and environmental regulations/legislation specific for the substance or mixture
Water contamin (Germany)	ating class : WGK 1 slightly water endangering VWVWS A4
Other regulation	<ul> <li>The product is classified and labelled in accordance with EC directives or respective national laws.</li> <li>Regional or national implementations of GHS may not implement all hazard classes and categories.</li> </ul>
15.2 Chemical Safe A Chemical Saf	ety Assessment is not required for this substance.
Full text of R-p	hrases referred to under sections 2 and 3
Full text of R-p R65 R66	hrases referred to under sections 2 and 3 Harmful: may cause lung damage if swallowed.
Full text of R-p R65 R66	<b>hrases referred to under sections 2 and 3</b> Harmful: may cause lung damage if swallowed. Repeated exposure may cause skin dryness or cracking.
Full text of R-p R65 R66 Full text of H-S H304	hrases referred to under sections 2 and 3 Harmful: may cause lung damage if swallowed. Repeated exposure may cause skin dryness or cracking. Statements referred to under sections 2 and 3.
Full text of R-p R65 R66 Full text of H-S H304	hrases referred to under sections 2 and 3 Harmful: may cause lung damage if swallowed. Repeated exposure may cause skin dryness or cracking. Statements referred to under sections 2 and 3. May be fatal if swallowed and enters airways.
Full text of R-p R65 R66 Full text of H-S H304	hrases referred to under sections 2 and 3 Harmful: may cause lung damage if swallowed. Repeated exposure may cause skin dryness or cracking. Statements referred to under sections 2 and 3. May be fatal if swallowed and enters airways.
R65 R66 <b>Full text of H-S</b> H304	hrases referred to under sections 2 and 3 Harmful: may cause lung damage if swallowed. Repeated exposure may cause skin dryness or cracking. Statements referred to under sections 2 and 3. May be fatal if swallowed and enters airways.
Full text of R-p R65 R66 Full text of H-S H304	hrases referred to under sections 2 and 3 Harmful: may cause lung damage if swallowed. Repeated exposure may cause skin dryness or cracking. Statements referred to under sections 2 and 3. May be fatal if swallowed and enters airways.
Full text of R-p R65 R66 Full text of H-S H304	hrases referred to under sections 2 and 3 Harmful: may cause lung damage if swallowed. Repeated exposure may cause skin dryness or cracking. Statements referred to under sections 2 and 3. May be fatal if swallowed and enters airways.
Full text of R-p R65 R66 Full text of H-S H304	hrases referred to under sections 2 and 3 Harmful: may cause lung damage if swallowed. Repeated exposure may cause skin dryness or cracking. Statements referred to under sections 2 and 3. May be fatal if swallowed and enters airways.
Full text of R-p R65 R66 Full text of H-S H304	hrases referred to under sections 2 and 3 Harmful: may cause lung damage if swallowed. Repeated exposure may cause skin dryness or cracking. Statements referred to under sections 2 and 3. May be fatal if swallowed and enters airways.

### Ardrox 5503

AIUIUX 5505	
Version 4.1	Revision Date 12.10.2010
Nota H	The classification and label shown for this substance applies to the dangerous property(ies) indicated by the risk phrase(s) in combination with the category(ies) of danger shown. The manufacturers, importers and downstream users of this substance shall be obliged to carry out an investigation to make themselves aware of the relevant and accessible data which exists for all other properties to classify and label the substance. The final label shall follow the requirements of section 7 of Annex VI of this Directive.
Nota L	The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346. This note applies only to certain complex oil derived substances in Annex I.
Nota P	The classification as a carcinogen or mutagen need not apply if it can be shown that the substance contains less than 0,1 % w/w benzene (Einecs No 200-753-7). When the substance is classified as a carcino- gen or mutagen, Note E shall also apply. When the substance is not classified as a carcinogen or mutagen at least the S-phrases (2-)23-24- 62 shall apply. This note applies only to certain complex oil-derived substances in Annex I.

Chemetall

#### **Further information**

The information provided is based on our current knowledge and experience and apply to the product as delivered. Regarding the product properties, these are not guaranteed. The delivery of this safety datasheet does not free the recipient of the product from his own responsibility to follow the relevant rules and regulations concerning this product.