

Version: 4.0

Revision Date: 21.03.2022 Supersedes Date: 20.10.2021

# SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier:

Product name: CAF 730 MF Product No.: PRCO90061954

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Identified uses: Used for making joints, sealing and gluing.

Uses advised against: None known.

1.3 Details of the supplier of the safety data sheet:

Manufacturer:

Elkem Silicones France SAS Telephone: +33 (0) 4 72 73 74 75

1-55 rue des Frères Perret **Fax:** +33 (0) 4 72 73 75 99

F-69192 SAINT FONS Cedex

**FRANCE** 

E-mail: fds.sil@elkem.com

Supplier:

Elkem Silicones (UK) Ltd Telephone: +44 (0) 1420 477000

Wolfe Mead, Farnham Road UK-GU35 0NH Bordon UNITED KINGDOM

1.4 Emergency telephone number: CHEMTREC UK (24h): +(44)-870-8200418 / National Poison Centre: 111

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture:

The product has not been classified as hazardous according to the legislation in force.

Classification according to Regulation (EC) No 1272/2008 as amended.

Not classified

#### 2.2 Label Elements:

#### Supplemental label information:

EUH210: Safety data sheet available on request.

2.3 Other hazards:

Physical Hazards: In presence of water or moist air, the product hydrolyses to form hazardous

substance(s). For further information, refer to section 10: "Stability and

Reactivity".

**Health Hazards:** 

**Inhalation:** No specific symptoms noted.

**Eye contact:** No specific symptoms noted.

SDS\_GB - PRCO90061954 1/15



Version: 4.0

Revision Date: 21.03.2022 Supersedes Date: 20.10.2021

**Skin contact:** No specific symptoms noted.

**Ingestion:** No specific symptoms noted.

Other Health Effects: No other information noted.

**Environmental Hazards:** Not regarded as dangerous for the environment.

Results of PBT and vPvB

assessment:

This substance/mixture contains components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very

bioaccumulative (vPvB).

**Endocrine Disruption -**

Health:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or

Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

**Endocrine Disruption -**

**Environment:** 

Other hazards:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or

Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

No other information noted.

Substance(s) formed under the conditions of use:

Chemical name	Concentration*	CAS-No.	EC No.	Classification
2-Pentanone, oxime	<6%	623-40-5	-	Acute Tox. 4 H302; Eye Irrit. 2
				H319; STOT RE 2 H373;
				Aquatic Chronic 3 H412;

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

The full text for all H-statements is displayed in section 16.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures:

#### **General information:**

Mixture of Polyorganosiloxanes, fillers, additives.

### **Hazardous Component(s):**

Chemical name	Concentration*	Туре	CAS-No.	EC No.	REACH Registration No.	Notes
2-Pentanone, O,O',O"- (ethenylsilylidyne)trioxime		Component	58190-62-8		01-2120006148- 66-XXXX	
Dodecamethylcyclohexas iloxane	0,1 - <1%	Impurities	540-97-6	208-762-8	Not relevant.	## vPvB
Decamethylcyclopentasil oxane	0,1 - <1%	Impurities	541-02-6	208-764-9	Not relevant.	## vPvB

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#### Classification:

Chemical name		Specific concentration limits / ATE / M-Factor:	Notes
2-Pentanone, O,O',O"-	Acute Tox. 4 H302; Eye Irrit. 2 H319;		

SDS\_GB - PRCO90061954 2/15

<sup>#</sup> This substance has workplace exposure limit(s).

<sup>##</sup> This substance is listed as SVHC.

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

ED: Endocrine Disruptor



Version: 4.0

Revision Date: 21.03.2022 Supersedes Date: 20.10.2021

(ethenylsilylidyne)trioxime		
Dodecamethylcyclohexasiloxan	None known.	
е		
Decamethylcyclopentasiloxane	None known.	

The full text for all H-statements is displayed in section 16.

## **SECTION 4: First aid measures**

#### General information:

No specific first aid measures noted. Get medical attention if symptoms occur.

#### 4.1 Description of first aid measures:

#### Inhalation:

Under normal conditions of intended use, this material is not expected to be an inhalation hazard. In case of inhalation: Move person into fresh air and keep at rest. Get medical attention if symptoms occur.

#### Skin contact:

Remove contaminated clothing and shoes. Wash skin with soap and water. Get medical attention if symptoms occur. Wash contaminated clothing before reuse.

#### Eye contact:

In the event of contact with the eyes, rinse thoroughly with clean water for at least 15 minutes. Get medical attention promptly if symptoms occur after washing.

#### Ingestion:

Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if symptoms occur.

#### Personal Protection for First-aid Responders:

First Aid responders should pay attention to self-protection and use the recommended protective clothing (chemical resistant gloves, splash protection). Refer to sections 5 and 8 for information on emergency procedures and protective equipment.

#### 4.2 Most important symptoms and effects, both acute and delayed:

No specific symptoms noted. For further information, please refer to Section 11 of the SDS.

#### 4.3 Indication of any immediate medical attention and special treatment needed:

## Notes to the physician:

No specific recommendations. Show this Safety Data Sheet to the attending physician.

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media:

### Suitable extinguishing media:

Water spray, foam, dry powder or carbon dioxide.

### Unsuitable extinguishing media:

Do not use water jet as an extinguisher, as this will spread the fire. For further information, refer to section 10: "Stability and Reactivity".

## 5.2 Special hazards arising from the substance or mixture:

Product will burn under fire conditions. Thermal decomposition or combustion may liberate carbon oxides, silicon oxides and other toxic gases or vapors.

SDS\_GB - PRCO90061954 3/15



Version: 4.0

Revision Date: 21.03.2022 Supersedes Date: 20.10.2021

### 5.3 Advice for firefighters:

## Special fire fighting procedures:

Use standard firefighting procedures and consider the hazards of other involved materials. Remove undamaged containers from fire area if it is safe to do so. Evacuate to a safe location and contact the emergency services. Water spray should be used to cool containers.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### Special protective equipment for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

## **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures:

Use personal protective equipment. See Section 8 of the SDS for Personal Protective Equipment.

#### **6.2 Environmental Precautions:**

Collect spillage. Do not discharge into drains, water courses or onto the ground.

### 6.3 Methods and material for containment and cleaning up:

Containers with collected spillage must be properly labelled with correct contents and hazard symbol. Container must be kept tightly closed. Absorb with sand or other inert absorbent. To clean the floor and all objects contaminated by this material, use an appropriate solvent (see § 9). Flush area with plenty of water. Incinerate in suitable combustion chamber.

## 6.4 Reference to other sections:

Caution: Contaminated surfaces may be slippery. For waste disposal, see Section 13 of the SDS.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling:

## **Precautions:**

Handle in accordance with good industrial hygiene and safety practices. No special precautions are necessary beyond normal good hygiene practices. See Section 8 of the SDS for additional personal protection advice when handling this product. Take care to prevent spills, waste and minimize release to the environment. In case of spills, beware of slippery floors and surfaces.

## Hygiene measures:

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

#### 7.2 Conditions for safe storage, including any incompatibilities:

Store in accordance with local/regional/national regulations. Avoid discharge into drains, water courses or onto the ground. Store in a dry place. Keep in properly labelled containers. Keep above the chemical's freezing point. Protect against physical damage and/or friction. Store away from incompatible materials. For further information, refer to section 10: "Stability and Reactivity".

#### Packaging frequently used at our sites:

Steel drums coated with epoxy-resin.

## 7.3 Specific end use(s):

No specific recommendations. See the technical data sheet on this product for further information.

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control Parameters:

SDS\_GB - PRCO90061954 4/15



Version: 4.0

Revision Date: 21.03.2022 Supersedes Date: 20.10.2021

#### **Occupational Exposure Limits:**

None of the components have assigned exposure limits.

## Monitoring methods:

Ensure workers' exposure monitoring in accordance with national and European regulations in force, in particular Directives 98/24/EC and 2004/37/EC.

## 8.2 Exposure controls:

## **Appropriate Engineering Controls:**

Use engineering controls to reduce air contamination to permissible exposure level. The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Engineering controls are always preferable to personal protective equipment. Control measures to consider: Provide adequate ventilation. In case of inadequate ventilation: Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.

## Individual protection measures, such as personal protective equipment:

Avoid inhalation of vapors/aerosols/dusts and contact with skin and eyes. Personal protective equipment should be chosen according to applicable standards, adapted to the conditions of use of the product and in discussion with the supplier of the personal protective equipment.

**Eye/face protection:** Safety glasses with side shields.

Hand Protection:

This recommendation is valid only for the product named in this safety data sheet supplied by us, and only for the indicated intended use purposes. In case this product will be mixed with other substances, you need to contact a supplier of CE approved protective gloves in order to determine the

appropriate gloves.

Prolonged or repeated contact:

Material: Nitrile.

Glove thickness: 1,25 mm Guideline: EN374-3

Additional Information: Gloves commonly used in Elkem's

facilities.

Short contact:

Material: Nitrile / Neoprene Glove thickness: 0.198 mm

Guideline: EN374-3

Additional Information: Gloves commonly used in Elkem's

labs.

**Skin and Body Protection:** Wear appropriate clothing to prevent any possibility of skin

contact. Isolate contaminated clothing and wash before reuse. In case of splashes: Wear apron or special protective

clothing.

**Respiratory Protection:** If engineering controls do not maintain airborne

concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Use the following CE approved airpurifying respirator: Breathing apparatus with combined filter type ABEK. Wear respiratory protection with combination filter (dust and gas filter) during operations leading to the

formation of dust/aerosols.

#### **Environmental Controls:**

See sections 7 and 13 of the Safety Data Sheet.

SDS\_GB - PRCO90061954 5/15



Version: 4.0

Revision Date: 21.03.2022 Supersedes Date: 20.10.2021

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties:

Appearance:

Physical state: Solid
Form: Paste
Color: White
Odor: Ethereal

:Ha Not applicable. Melting point/freezing point: No data available. **Boiling Point:** No data available. Flash Point: Not applicable. Flammability: No data available. Flammability Limit - Upper (%): No data available. Flammability Limit - Lower (%): No data available. Vapor pressure: No data available. Relative vapor density: No data available. No data available. **Evaporation Rate:** 

**Density:** Approximate 1,05 kg/dm3 (20 °C)

Solubility(ies):

Solubility in Water: Practically Insoluble

Solubility (other):

Acetone: Very slightly soluble
Ethanol: Very slightly soluble
Aliphatic hydrocarbons: Dispersible
Aromatic hydrocarbons: Dispersible

No data available. No data available. No data available.

No data available.

Particle characteristics:

Kinematic viscosity:

**Self Ignition Temperature:** 

**Decomposition Temperature:** 

Particle Size: Not applicable.

9.2 Other information:

Oxidizing properties: Not considered as oxidizing. (evaluation by structure-

activity relationship)

## **SECTION 10: Stability and reactivity**

Partition coefficient (n-octanol/water):

## 10.1 Reactivity:

Vulcanizes at room temperature on contact with moisture in the air. Reacts slowly on contact with water or humidity.

#### 10.2 Chemical Stability:

Stable

## 10.3 Possibility of hazardous reactions:

During use or in contact with water, may generate hazardous substances.

## 10.4 Conditions to avoid:

Avoid contact with water or moist air. In presence of water or moist air, the product hydrolyses to form

SDS\_GB - PRCO90061954 6/15



Version: 4.0

Revision Date: 21.03.2022 Supersedes Date: 20.10.2021

hazardous substance(s).

#### 10.5 Incompatible Materials:

Strong oxidizing agents.

### 10.6 Hazardous Decomposition Products:

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors. Amorphous silica.

## **SECTION 11: Toxicological information**

#### Information on likely routes of exposure:

Inhalation: No data available.

Ingestion: No data available.

Skin contact: No data available.

Eve contact: No data available.

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

## **Acute toxicity:**

#### Oral:

Not classified for acute toxicity based on available data.

#### Dermal:

Not classified for acute toxicity based on available data.

#### Inhalation:

Not classified for acute toxicity based on available data.

#### Repeated dose toxicity:

## Based on our knowledge of the composition information:

2-PENTANONE, O.O', O''-(ETHENYLSILYLIDYNE)TRIOXIME (58190-62-8);

NOAEL: 18 mg/kg; (Rat; Female, Male; Oral); Method: OECD 422; Subacute exposure. Results

obtained on a similar product.

NOAEL: 13 mg/kg; (Rat; Female, Male; Oral); Method: OECD 408; Subchronic exposure. Results obtained on a similar product.

## DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

NOAEL: 1 000 mg/kg; (Rat; Female, Male; Oral); Method: OECD 422; Subacute exposure. NOAEL: 0,0182 mg/l; (Rat; Female, Male; Inhalation - vapour); Method: OECD 413; Subchronic exposure.

### DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

NOAEL: 1 000 mg/kg; (Rat; Female, Male; Oral); Method: OECD 408; Subchronic exposure.

NOAEL: 2,42 mg/l; (Rat; Female, Male; Inhalation - vapour); Method: OECD 453; Chronic exposure.

NOAEL: 1 600 mg/kg; (Rat; Female, Male; Dermal); Method: OECD 410; Subacute exposure.

#### **Skin Corrosion/Irritation:**

## Based on our knowledge of the composition information:

2-PENTANONE, O,O',O"-(ETHENYLSILYLIDYNE)TRIOXIME (58190-62-8):

Not irritating (Rabbit); Method: OECD 404; Results obtained on a similar product.

7/15 SDS\_GB - PRCO90061954



Version: 4.0

Revision Date: 21.03.2022 Supersedes Date: 20.10.2021

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

Not irritating (Rabbit); Method: OECD 404

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Not irritating (Rabbit); Method: OECD 404

## Serious Eye Damage/Eye Irritation:

## Based on our knowledge of the composition information:

2-PENTANONE, O,O',O"-(ETHENYLSILYLIDYNE)TRIOXIME (58190-62-8): Irritant (Rabbit): Method: OECD 405; Results obtained on a similar product.

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

Not irritating (Rabbit); Method: OECD 405

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Not irritating (Rabbit); Method: OECD 405

#### Respiratory or Skin Sensitization:

## Based on our knowledge of the composition information:

2-PENTANONE, O.O',O"-(ETHENYLSILYLIDYNE)TRIOXIME (58190-62-8):

Skin sensitization: Not a skin sensitizer. (Guinea Pig); Method: OECD 406; Results obtained on a similar product.

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

Skin sensitization: Not a skin sensitizer. (Guinea Pig); Method: OECD 406

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Skin sensitization: Not a skin sensitizer. (Mouse); Method: OECD 429

## **Germ Cell Mutagenicity:**

## In vitro: Based on our knowledge of the composition information:

2-PENTANONE, O,O',O"-(ETHENYLSILYLIDYNE)TRIOXIME (58190-62-8):

Bacterial reverse mutation test: No mutagenic effect. (Salmonella typhimurium and Escherichia coli ; with and without metabolic activation) ; Method: OECD 471

In vitro gene mutations test on mammalian cells: No mutagenic effect. (Mouse lymphoma cells; with and without metabolic activation); Method: OECD 476; Results obtained on a similar product.

Chromosomal aberration: Positive with metabolic activation., Negative without metabolic activation. (Human lymphocytes; with and without metabolic activation); Method: OECD 473; Results obtained on a similar product.

#### DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

Bacterial reverse mutation test: No mutagenic effect. (Salmonella typhimurium and Escherichia coli ; with and without metabolic activation) ; Method: OECD 471

In vitro gene mutations test on mammalian cells: No mutagenic effect. (Mouse lymphoma cells; with and without metabolic activation); Method: OECD 476

## DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Bacterial reverse mutation test: No mutagenic components identified. (Salmonella typhimurium and Escherichia coli ; with and without metabolic activation) ; Method: OECD 471

In vitro gene mutations test on mammalian cells: No mutagenic components identified. (Mouse lymphoma cells; with and without metabolic activation); Method: OECD 476

Chromosomal aberration: No clastogenic effect. (Chinese hamster lung cells; with and without metabolic activation); Method: OECD 473

## In vivo: Based on our knowledge of the composition information:

SDS\_GB - PRCO90061954 8/15



Version: 4.0

Revision Date: 21.03.2022 Supersedes Date: 20.10.2021

## 2-PENTANONE, O.O'.O"-(ETHENYLSILYLIDYNE)TRIOXIME (58190-62-8):

Mammalian erythrocyte micronucleus test: negative (Rat ; Oral) ; Method: OECD 474 ; Results obtained on a similar product.

#### DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

Mammalian erythrocyte micronucleus test: No mutagenic effect. (Mouse ; Intraperitoneal) ; Method: OECD 474

#### DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Mammalian erythrocyte micronucleus test: negative (Rat ; Female, Male ; Inhalation) ; Method: OECD 474 Unscheduled DNA Synthesis (UDS) Test with mammalian liver cells in vivo: negative (Rat ; Female, Male ; Inhalation) ; Method: OECD 486

## **Carcinogenicity:**

## Based on our knowledge of the composition information:

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Not classified

NOAEC: >= 2,42 mg/l (Rat; Female, Male; Inhalation - vapor); Method: Similar to OECD 453; Chronic exposure. No carcinogenic effects relevant to humans.

#### Reproductive toxicity:

## Fertility: Based on our knowledge of the composition information:

2-PENTANONE, O,O',O"-(ETHENYLSILYLIDYNE)TRIOXIME (58190-62-8):

Not classified

Fertility study 1 generation: NOAEL (parent): > 103 mg/kg; NOAEL (F1): None.; NOAEL (F2): None. (Rat; Female, Male; Ingestion); Method: OECD 415; Results obtained on a similar product.

NOAEL (parent): > 45 mg/kg NOAEL (F1): None.; NOAEL (F2): None. (Rat; Female, Male; Ingestion); Method: According to a standardised method.; Results obtained on a similar product.

### DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

Not classified

Reproduction/developmental toxicity screening test: NOAEL (parent): >= 1 000 mg/kg; NOAEL (F1): 1 000 mg/kg; NOAEL (F2): None. (Rat; Female, Male; Gavage (Oral)); Method: OECD 422; The product is not considered to affect fertility.

## DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Not classified

Fertility study 2 generations: NOAEL (parent): > 2,496 mg/l; NOAEL (F1): 2,496 mg/l; NOAEL (F2): None. (Rat; Female, Male; Inhalation - vapor); Method: OECD 416

#### Teratogenicity: Based on our knowledge of the composition information:

2-PENTANONE, O,O',O"-(ETHENYLSILYLIDYNE)TRIOXIME (58190-62-8):

Not classified

NOAEL (terato): > 103 mg/kg; NOAEL (mater): > 103 mg/kg (Rat; Ingestion); Method: According to a standardised method.; Results obtained on a similar product.

## DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

Not classified

NOAEL (terato): >= 1 000 mg/kg; NOAEL (mater): >= 1 000 mg/kg (Rabbit; Gavage (Oral)); Method: OECD 414

NOAEL (terato): >= 1 000 mg/kg; NOAEL (mater): >= 1 000 mg/kg (Rat; Gavage (Oral)); Method: OECD 414

## **Specific Target Organ Toxicity - Single Exposure:**

#### Based on our knowledge of the composition information:

SDS\_GB - PRCO90061954 9/15



Version: 4.0

Revision Date: 21.03.2022 Supersedes Date: 20.10.2021

## 2-PENTANONE, O,O',O"-(ETHENYLSILYLIDYNE)TRIOXIME (58190-62-8):

Based on available data, the classification criteria are not met.

#### DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

Based on available data, the classification criteria are not met.

## DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Based on available data, the classification criteria are not met.

#### **Specific Target Organ Toxicity - Repeated Exposure:**

## Based on our knowledge of the composition information:

2-PENTANONE, O,O',O"-(ETHENYLSILYLIDYNE)TRIOXIME (58190-62-8):

Based on available data, the classification criteria are not met.

### DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

Based on available data, the classification criteria are not met.

## DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Based on available data, the classification criteria are not met.

## **Aspiration Hazard:**

## Based on our knowledge of the composition information:

2-PENTANONE, O,O',O"-(ETHENYLSILYLIDYNE)TRIOXIME (58190-62-8):

Based on available data, the classification criteria are not met.

#### DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

Based on available data, the classification criteria are not met.

## DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Based on available data, the classification criteria are not met.

### 11.2 Information on other hazards:

## **Endocrine disrupting properties:**

No data available.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity:

#### Acute toxicity:

## Fish: Based on our knowledge of the composition information:

2-PENTANONE, O,O',O"-(ETHENYLSILYLIDYNE)TRIOXIME (58190-62-8):

LC 50 (Oncorhynchus mykiss; 96 h) : > 117 mg/l ; Method: OECD 203 ; Results obtained on a similar product.

#### DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

LC 50 (Oncorhynchus mykiss; 96 h; Flow through) : > 0,016 mg/l; Method: OECD 204; No toxicity at the limit of solubility

### DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

LC 50 (Oncorhynchus mykiss; 96 h; Flow through) : > 0,016 mg/l; Method: OECD 204 NOEC (Oncorhynchus mykiss; 96 h; Flow through) : >= 0,016 mg/l; Method: OECD 204

### Aquatic Invertebrates: Based on our knowledge of the composition information:

2-PENTANONE, O,O',O"-(ETHENYLSILYLIDYNE)TRIOXIME (58190-62-8):

EC 50 (Water flea (Daphnia magna); 48 h): > 117 mg/l; Method: OECD 202; Results obtained on a similar

SDS\_GB - PRCO90061954 10/15



Version: 4.0

Revision Date: 21.03.2022 Supersedes Date: 20.10.2021

product.

#### DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

EC 50 (Water flea (Daphnia magna); 48 h ; Flow through) : > 0.0029 mg/l ; Method: OECD 202 ; No toxicity at the limit of solubility

#### DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

EC 50 (Water flea (Daphnia magna); 48 h; Flow through) : > 0,0029 mg/l; Method: OECD 202 NOEC (Water flea (Daphnia magna); 48 h; Flow through) : >= 0,0029 mg/l; Method: OECD 202

### Aquatic plants: Based on our knowledge of the composition information:

2-PENTANONE, O,O',O"-(ETHENYLSILYLIDYNE)TRIOXIME (58190-62-8):

ErC50 (Algae (Pseudokirchneriella subcapitata); 72 h) : 103 mg/l ; Method: OECD 201 ; Results obtained on a similar product.

NOEC (Algae (Pseudokirchneriella subcapitata); 72 h) : 37 mg/l ; Method: OECD 201 ; Results obtained on a similar product.

#### DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

NOEC (growth rate) (Algae (Pseudokirchneriella subcapitata); 72 h; Static) : >= 0,002 mg/l; Method: OECD 201; No toxicity at the limit of solubility

ErC50 (Algae (Pseudokirchneriella subcapitata); 72 h; Static) : > 0,002 mg/l; Method: OECD 201; No toxicity at the limit of solubility

## DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

EC 50 (Algae (Pseudokirchneriella subcapitata); 96 h; Static) : > 0,012 mg/l; Method: OECD 201 NOEC (Algae (Pseudokirchneriella subcapitata); 96 h; Static) : >= 0,012 mg/l; Method: OECD 201

Toxicity to microorganisms: No data available.

### **Chronic Toxicity:**

## Fish: Based on our knowledge of the composition information:

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

NOEC (Oncorhynchus mykiss; 90 d ; Flow through) : >= 0.014 mg/l ; Method: OECD 210 ; No toxicity at the limit of solubility

#### DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

NOEC (Oncorhynchus mykiss; 90 d; Flow through): >= 0,014 mg/l; Method: OECD 210

#### Aquatic Invertebrates: Based on our knowledge of the composition information:

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

NOEC (Water flea (Daphnia magna); 21 d; semi-static) : >= 0.0046 mg/l; Method: OECD 211; No toxicity at the limit of solubility

## DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

NOEC (Water flea (Daphnia magna); 21 d; semi-static): >= 0,015 mg/l; Method: OECD 211

## 12.2 Persistence and Degradability:

#### Biodegradation: Based on our knowledge of the composition information:

2-PENTANONE, O,O',O"-(ETHENYLSILYLIDYNE)TRIOXIME (58190-62-8):

1 % (28 d); Method: OECD 301 B; Not readily degradable. Results obtained on a similar product.

## DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

4,5 % (activated sludge, domestic, non-adapted; 28 d); Method: OECD 310; The product is not readily biodegradable.

## DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

0,14 % (28 d); The product is not readily biodegradable.

SDS\_GB - PRCO90061954 11/15



Version: 4.0

Revision Date: 21.03.2022 Supersedes Date: 20.10.2021

BOD/COD Ratio: No data available.

#### 12.3 Bioaccumulative potential:

### Bioconcentration Factor (BCF): Based on our knowledge of the composition information:

2-PENTANONE, O,O',O"-(ETHENYLSILYLIDYNE)TRIOXIME (58190-62-8):

Bioconcentration Factor (BCF): 69,21; The product is not considered to have a bioaccumulative potential. Structure-activity relationship (SAR)

## DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

Bioconcentration Factor (BCF): 2 860 (Fathead Minnow; 49 d); Method: OECD 305; Has the potential to bioaccumulate.

### DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Bioconcentration Factor (BCF): 16 200 (Pimephales promelas); Method: OECD 305; The product is not bioaccumulating.

## Partition coefficient (n-octanol/water): Based on our knowledge of the composition information:

2-PENTANONE, O,O',O"-(ETHENYLSILYLIDYNE)TRIOXIME (58190-62-8):

Log Kow: 1,25 (22 °C); Method: OECD 117

### DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

Log Kow: 8,87 (23 °C)

### DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Log Kow: 8,02 (25,3 °C); Method: OECD 123

#### 12.4 Mobility in soil:

No data available.

#### 12.5 Results of PBT and vPvB assessment:

## Based on our knowledge of the composition information:

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

Meets vPvB criteria (REACH (1907/2006) Ax XIII)

## DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Meets vPvB criteria (REACH (1907/2006) Ax XIII)

## 12.6 Endocrine disrupting properties:

No data available.

## 12.7 Other adverse effects:

No data available.

## **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods:

The user's attention is drawn to the possible existence of local regulations regarding disposal.

### Disposal methods:

Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. Incinerate.

SDS\_GB - PRCO90061954 12/15



Version: 4.0

Revision Date: 21.03.2022 Supersedes Date: 20.10.2021

#### **Contaminated Packaging:**

Contaminated packages should be as empty as possible. Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. Recycle following cleaning or dispose of at an authorised site.

## **SECTION 14: Transport information**

u	

Not regulated.

**ADN** 

Not regulated.

**RID** 

Not regulated.

IMDG / IMO

Not regulated.

**IATA** 

Not regulated.

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

## **EU Regulations:**

Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex I, Controlled Substances: None present or none present in regulated quantities.

Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex II, New Substances: None present or none present in regulated quantities.

EU. Regulation 2019/1021/EU on persistent organic pollutants (POPs) (recast), as amended: None present or none present in regulated quantities.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended: None present or none present in regulated quantities.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended: None present or none present in regulated quantities.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended: None present or none present in regulated quantities.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended: None present or none present in regulated quantities.

EU. Directive 2010/75/EU on Industrial Emissions (IPPC), Annex II, L 334/17: None present or none present in regulated quantities.

**EU. REACH Annex XIV, Substances Subject to Authorization:** None present or none present in regulated quantities.

EU. REACH Candidate List of Substances of Very High Concern for Authorization (SVHC):

SDS\_GB - PRCO90061954 13/15



Version: 4.0

Revision Date: 21.03.2022 Supersedes Date: 20.10.2021

			Information:
Dodecamethylcyclohexasiloxane	540-97-6	0,1 - 1,0%	very Persistent and very Bioaccumulative (vPvB)
Decamethylcyclopentasiloxane	541-02-6	0,1 - 1,0%	very Persistent and very Bioaccumulative (vPvB)

## Regulation (EC) No. 1907/2006 Annex XVII Substances subject to restriction on marketing and use:

Chemical name	CAS-No.	Entry No:	Concentration:
Decamethylcyclopentasiloxane	541-02-6	70	0,1 - 1,0%

Directive 98/24/EC on the protection of workers from the risks related to chemical agents at work: None present or none present in regulated quantities.

EU. Regulation No. 166/2006 PRTR (Pollutant Release and Transfer Registry), Annex II: Pollutants: None present or none present in regulated quantities.

EU. Directive 2012/18/EU (SEVESO III) on major accident hazards involving dangerous substances, Annex I: Not applicable.

### 15.2 Chemical safety assessment:

As this product is not classified as hazardous, a chemical safety assessment is not required. For safe use information, please refer to section 8 of this SDS.

## **Inventory Status:**

Australia Industrial Chem. Act (AIIC):

Canada DSL Inventory List:

Not in compliance with the inventory.

Not in compliance with the inventory.

China Inv. Existing Chemical Substances: E (special case)

Japan (ENCS) List:

Korea Existing Chemicals Inv. (KECI):

Not in compliance with the inventory.

Not in compliance with the inventory.

On or in compliance with the inventory.

Philippines PICCS:

On or in compliance with the inventory.

Taiwan Chemical Substance Inventory:

US TSCA Inventory:

On or in compliance with the inventory.
On or in compliance with the inventory.

EINECS, ELINCS or NLP: On or in compliance with the inventory.

## **SECTION 16: Other information**

#### **Revision Information:**

SECTION 2: Modification: Label Elements

SECTION 3: Modification: Composition/information on ingredients

SECTION 15: Modification: Regulatory information

#### Abbreviations and acronyms:

CLP: Regulation No. 1272/2008.

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

NOAEL - No Observable Adverse Effect Level

LOAEL - Lowest Observable Adverse Effect Level

ED: Endocrine Disruptor

SVHC: Listed on the Candidate List of substances of very high concern (SVHC)

## Wording of the H-statements in section 2 and 3:

SDS\_GB - PRCO90061954 14/15



Version: 4.0

Revision Date: 21.03.2022 Supersedes Date: 20.10.2021

EUH210 Safety data sheet available on request.

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

H412 Harmful to aquatic life with long lasting effects.

Issue Date: 21.03.2022

## **Disclaimer:**

The information given is based on data available for the material, the components of the material, and similar materials. The information is believed to be correct. It is given in good faith. This information should be used to make an independent determination of the methods to safeguard workers and the environment.

SDS\_GB - PRCO90061954 15/15