

# SAFETY DATA SHEET

**EASTMAN**

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

## Eastman(TM) Turbo Oil 2380

|         |                |                   |                                 |
|---------|----------------|-------------------|---------------------------------|
| Version | Revision Date: | SDS Number:       | Date of last issue: 17.10.2019  |
| 4.6     | 21.12.2022     | 150000097793      | Date of first issue: 31.05.2014 |
| PRD     |                | SDSGB / EN / 0001 |                                 |

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : Eastman(TM) Turbo Oil 2380

Product code : 34359-00, P3435905, P3435903, P3435902, P3435901,  
P3435900, E3435902, P3435904

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-  
stance/Mixture : Lubricant

Recommended restrictions  
on use : None known.

#### 1.3 Details of the supplier of the safety data sheet

Company : Eastman Chemical Company  
200 South Wilcox Drive  
37660-5280 Kingsport

Telephone : +14232292000

E-mail address of person  
responsible for the SDS : Visit our website at [www.EASTMAN.com](http://www.EASTMAN.com) or email  
[emnmsds@eastman.com](mailto:emnmsds@eastman.com)

#### 1.4 Emergency telephone number

Tel. 111

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK  
SI 2019/720, and UK SI 2020/1567)**

Not a hazardous substance or mixture.

#### 2.2 Label elements

**Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI  
2019/720, and UK SI 2020/1567)**

Not a hazardous substance or mixture.

#### Additional Labelling

# SAFETY DATA SHEET

**EASTMAN**

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

## Eastman(TM) Turbo Oil 2380

|         |                |                   |                                 |
|---------|----------------|-------------------|---------------------------------|
| Version | Revision Date: | SDS Number:       | Date of last issue: 17.10.2019  |
| 4.6     | 21.12.2022     | 150000097793      | Date of first issue: 31.05.2014 |
| PRD     |                | SDSGB / EN / 0001 |                                 |

EUH208 Contains N-phenyl-1-naphthylamine.  
May produce an allergic reaction.

EUH210 Safety data sheet available on request.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Components

| Chemical name                                                        | CAS-No.<br>EC-No.<br>Index-No.<br>Registration number | Classification                                                                                                                                       | Concentration<br>(% w/w) |
|----------------------------------------------------------------------|-------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| Tricresyl phosphate                                                  | 1330-78-5<br>215-548-8                                | Repr. 2; H361<br>Aquatic Acute 1;<br>H400<br>Aquatic Chronic 1;<br>H410<br><br>M-Factor (Acute<br>aquatic toxicity): 1                               | $\geq 2.5 - < 3$         |
| N-Phenylbenzenamine reaction<br>products with 2,4,4-trimethylpentene | 68411-46-1<br>270-128-1                               | STOT RE 2; H373<br>(Liver)<br>Aquatic Chronic 3;<br>H412                                                                                             | $\geq 1 - < 2.5$         |
| N-phenyl-1-naphthylamine                                             | 90-30-2<br>201-983-0                                  | Acute Tox. 4; H302<br>Skin Sens. 1; H317<br>STOT RE 2; H373<br>(Cardio-vascular<br>system)<br>Aquatic Acute 1;<br>H400<br>Aquatic Chronic 1;<br>H410 | $\geq 1 - < 2.5$         |

For explanation of abbreviations see section 16.

Eastman is committed to the safety, health and environment of our employees, our customers, and the communities we operate within. As part of this commitment, Eastman's Safety Data Sheets (SDS) are prepared in accordance with all applicable national and local regulations. The compositions of our documents reflect these requirements which include, but are not limited to, requirements under the Globally Harmonized System of Classification and Labeling (GHS). These compositions commonly involve the use of ranges versus specific analytical values. If you require a composition that is more

# SAFETY DATA SHEET

**EASTMAN**

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

## Eastman(TM) Turbo Oil 2380

|         |                |                   |                                 |
|---------|----------------|-------------------|---------------------------------|
| Version | Revision Date: | SDS Number:       | Date of last issue: 17.10.2019  |
| 4.6     | 21.12.2022     | 150000097793      | Date of first issue: 31.05.2014 |
| PRD     |                | SDSGB / EN / 0001 |                                 |

*specific , please refer to the Certificate of Analysis, sales specification, or contact your Customer Service Representative.*

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- |                         |   |                                                                                                                                                                                             |
|-------------------------|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| If inhaled              | : | Move to fresh air.<br>If breathing is difficult, give oxygen.<br>Consult a physician if necessary.                                                                                          |
| In case of skin contact | : | Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.<br>Wash contaminated clothing before reuse.<br>If symptoms persist, call a physician. |
| In case of eye contact  | : | In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.<br>Get medical attention if symptoms occur.                                                        |
| If swallowed            | : | Rinse mouth.<br>Call a physician or poison control center immediately.<br>Do NOT induce vomiting.<br>Never give anything by mouth to an unconscious person.                                 |

#### 4.2 Most important symptoms and effects, both acute and delayed

- |          |   |                                                                                                                                                                                                                                |
|----------|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Symptoms | : | Prolonged skin contact may defat the skin and produce dermatitis.<br>Contact with hot product will cause thermal burns.<br>Inhalation of thermal decomposition products may lead to adverse effects including pulmonary edema. |
|----------|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

#### 4.3 Indication of any immediate medical attention and special treatment needed

- |           |   |                        |
|-----------|---|------------------------|
| Treatment | : | Treat symptomatically. |
|-----------|---|------------------------|

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

- |                                |   |                                                                    |
|--------------------------------|---|--------------------------------------------------------------------|
| Suitable extinguishing media   | : | Water spray<br>Foam<br>Dry powder<br>Carbon dioxide (CO2)          |
| Unsuitable extinguishing media | : | Do not use a solid water stream as it may scatter and spread fire. |

# SAFETY DATA SHEET

**EASTMAN**

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

## Eastman(TM) Turbo Oil 2380

|         |                |                   |                                 |
|---------|----------------|-------------------|---------------------------------|
| Version | Revision Date: | SDS Number:       | Date of last issue: 17.10.2019  |
| 4.6     | 21.12.2022     | 150000097793      | Date of first issue: 31.05.2014 |
| PRD     |                | SDSGB / EN / 0001 |                                 |

### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products : Carbon monoxide  
Carbon dioxide (CO<sub>2</sub>)  
Oxides of phosphorus

### 5.3 Advice for firefighters

Special protective equipment for firefighters : Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear.

Further information : In case of fire and/or explosion do not breathe fumes.  
Use water spray to cool unopened containers.  
Prevent fire extinguishing water from contaminating surface water or the ground water system.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Ventilate the area.  
Material can create slippery conditions.  
Use personal protective equipment.  
Local authorities should be advised if significant spillages cannot be contained.

### 6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

### 6.4 Reference to other sections

For personal protection see section 8.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : Handle in accordance with good industrial hygiene and safety practice.  
Do not get in eyes.  
Do not get on skin or clothing.  
Wash thoroughly after handling.  
Do not breathe vapors or spray mist.  
Use only in area provided with appropriate exhaust ventilation.  
Drain or remove substance from equipment prior to break-in

# SAFETY DATA SHEET

**EASTMAN**

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

## Eastman(TM) Turbo Oil 2380

|         |                |                   |                                 |
|---------|----------------|-------------------|---------------------------------|
| Version | Revision Date: | SDS Number:       | Date of last issue: 17.10.2019  |
| 4.6     | 21.12.2022     | 150000097793      | Date of first issue: 31.05.2014 |
| PRD     |                | SDSGB / EN / 0001 |                                 |

or maintenance.

Wear appropriate personal protective equipment.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage : Keep containers tightly closed in a cool, well-ventilated place.  
areas and containers

### 7.3 Specific end use(s)

Specific use(s) : [www.EastmanAviationSolutions.com](http://www.EastmanAviationSolutions.com)

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

### 8.2 Exposure controls

#### Engineering measures

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

#### Personal protective equipment

Eye/face protection : Wear safety glasses with side shields (or goggles).

Hand protection

Material : Recommended gloves:

Material : Nitrile rubber

Remarks : Wear suitable gloves. Contact the glove manufacturer for specific advice on glove selection and breakthrough times for your use conditions.

Respiratory protection : Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary.  
Respirator selection, use, and maintenance must be in accordance with regulatory requirements, if applicable.  
Protective equipment only chosen according to specific regulatory requirements after a risk assessment.  
Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Protective measures : Ensure that eye flushing systems and safety showers are located close to the working place.

# SAFETY DATA SHEET

**EASTMAN**

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

## Eastman(TM) Turbo Oil 2380

|         |                |                   |                                 |
|---------|----------------|-------------------|---------------------------------|
| Version | Revision Date: | SDS Number:       | Date of last issue: 17.10.2019  |
| 4.6     | 21.12.2022     | 150000097793      | Date of first issue: 31.05.2014 |
| PRD     |                | SDSGB / EN / 0001 |                                 |

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

|                                                  |   |                                                                             |
|--------------------------------------------------|---|-----------------------------------------------------------------------------|
| Appearance                                       | : | liquid                                                                      |
| Colour                                           | : | amber                                                                       |
| Odour                                            | : | No data available                                                           |
| pH                                               | : | not determined                                                              |
| Melting point/freezing point                     | : | -54 °C                                                                      |
| Boiling point/boiling range                      | : | not determined                                                              |
| Flash point                                      | : | 246 °C<br>Method: Cleveland open cup                                        |
| Upper explosion limit / Upper flammability limit | : | not determined                                                              |
| Lower explosion limit / Lower flammability limit | : | not determined                                                              |
| Vapour pressure                                  | : | not determined                                                              |
| Relative vapour density                          | : | not determined                                                              |
| Relative density                                 | : | 0.98 (15.6 °C)                                                              |
| Density                                          | : | 980 kg/m <sup>3</sup> (15.6 °C)                                             |
| Solubility(ies)                                  |   |                                                                             |
| Water solubility                                 | : | insoluble                                                                   |
| Partition coefficient: n-octanol/water           | : | Not applicable                                                              |
| Viscosity                                        |   |                                                                             |
| Viscosity, dynamic                               | : | not determined                                                              |
| Viscosity, kinematic                             | : | 23 - 30 mm <sup>2</sup> /s (40 °C)<br>4.9 - 5.4 mm <sup>2</sup> /s (100 °C) |

#### 9.2 Other information

No data available

# SAFETY DATA SHEET

**EASTMAN**

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

## Eastman(TM) Turbo Oil 2380

|         |                |                   |                                 |
|---------|----------------|-------------------|---------------------------------|
| Version | Revision Date: | SDS Number:       | Date of last issue: 17.10.2019  |
| 4.6     | 21.12.2022     | 150000097793      | Date of first issue: 31.05.2014 |
| PRD     |                | SDSGB / EN / 0001 |                                 |

---

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

None reasonably foreseeable.

#### 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : None known.

#### 10.4 Conditions to avoid

Conditions to avoid : Keep away from sources of ignition - No smoking.

#### 10.5 Incompatible materials

Materials to avoid : Strong oxidizing agents

#### 10.6 Hazardous decomposition products

Emits acid smoke and fumes when heated to decomposition.

---

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

##### Acute toxicity

Not classified based on available information.

##### Product:

Acute oral toxicity : Remarks: No data available

Acute inhalation toxicity : Acute toxicity estimate: Exposure time: 4 h  
Assessment: Not classified  
Remarks: Read-across from a similar material

Acute dermal toxicity : Acute toxicity estimate: Assessment: Not classified  
Remarks: Read-across from a similar material

##### Components:

##### Tricresyl phosphate:

Acute oral toxicity : LD50 Oral (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.2 mg/l  
Exposure time: 4 h

Acute dermal toxicity : LD50 Dermal (Rabbit): > 10,000 mg/kg

##### N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene:

# SAFETY DATA SHEET

**EASTMAN**

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

## Eastman(TM) Turbo Oil 2380

|         |                |                   |                                 |
|---------|----------------|-------------------|---------------------------------|
| Version | Revision Date: | SDS Number:       | Date of last issue: 17.10.2019  |
| 4.6     | 21.12.2022     | 150000097793      | Date of first issue: 31.05.2014 |
| PRD     |                | SDSGB / EN / 0001 |                                 |

Acute oral toxicity : LD50 Oral (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit): > 2,000 mg/kg

### **N-phenyl-1-naphthylenamine:**

Acute oral toxicity : LD50 Oral (Rat): 1,250 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit): > 2,000 mg/kg

### **Skin corrosion/irritation**

Not classified based on available information.

#### **Product:**

Species : Rabbit  
Exposure time : 24 h  
Assessment : Not classified as hazardous.  
Result : slight

#### **Components:**

##### **Tricresyl phosphate:**

Species : Rabbit  
Exposure time : 24 h  
Assessment : Not classified as hazardous.  
Result : Non-irritating to the skin.

##### **N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene:**

Species : Rabbit  
Assessment : Not classified  
Result : slight

##### **N-phenyl-1-naphthylenamine:**

Species : Rabbit  
Assessment : Not classified  
Result : none

### **Serious eye damage/eye irritation**

Not classified based on available information.

#### **Product:**

Species : Rabbit  
Assessment : Not classified  
Result : No eye irritation

#### **Components:**

##### **Tricresyl phosphate:**

Species : Rabbit

# SAFETY DATA SHEET

**EASTMAN**

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

## Eastman(TM) Turbo Oil 2380

|         |                |                   |                                 |
|---------|----------------|-------------------|---------------------------------|
| Version | Revision Date: | SDS Number:       | Date of last issue: 17.10.2019  |
| 4.6     | 21.12.2022     | 150000097793      | Date of first issue: 31.05.2014 |
| PRD     |                | SDSGB / EN / 0001 |                                 |

Assessment : Not classified

### **N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene:**

Species : Rabbit  
Assessment : Not classified  
Result : slight

### **N-phenyl-1-naphthylenamine:**

Species : Rabbit  
Assessment : Not classified  
Result : slight

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

#### **Product:**

Test Type : Skin sensitization  
Method : Human Repeat Insult Patch Test  
Result : Not a skin sensitizer.

#### **Components:**

#### **Tricresyl phosphate:**

Test Type : Skin Sensitization  
Assessment : Not classified

#### **N-phenyl-1-naphthylenamine:**

Assessment : Skin sensitization  
Result : sensitizing

### **Germ cell mutagenicity**

Not classified based on available information.

#### **Product:**

Genotoxicity in vitro : Test Type: Mutagenicity  
Metabolic activation: Read-across from a similar material  
Result: Based on available data, the classification criteria are not met.

Genotoxicity in vivo : Test Type: Mutagenicity  
Result: Based on available data, the classification criteria are not met.  
Remarks: Read-across from a similar material

# SAFETY DATA SHEET

**EASTMAN**

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

## Eastman(TM) Turbo Oil 2380

|         |                |                   |                                 |
|---------|----------------|-------------------|---------------------------------|
| Version | Revision Date: | SDS Number:       | Date of last issue: 17.10.2019  |
| 4.6     | 21.12.2022     | 150000097793      | Date of first issue: 31.05.2014 |
| PRD     |                | SDSGB / EN / 0001 |                                 |

Germ cell mutagenicity- Assessment :  
Remarks: No data available

### Components:

#### **Tricresyl phosphate:**

Genotoxicity in vitro : Test Type: various  
Result: Based on available data, the classification criteria are not met.  
Remarks: Not classified

Genotoxicity in vivo : Test Type: various  
Result: Based on available data, the classification criteria are not met.

#### **Carcinogenicity**

Not classified based on available information.

### Product:

Species : Mouse  
Application Route : Dermal  
Remarks : negative

Carcinogenicity - Assessment :  
Remarks: No data available

#### **Reproductive toxicity**

Not classified based on available information.

### Product:

Reproductive toxicity - Assessment : No toxicity to reproduction  
Remarks: No data available

### Components:

#### **Tricresyl phosphate:**

Reproductive toxicity - Assessment : May damage the unborn child. Suspected of damaging fertility.

#### **STOT - single exposure**

Not classified based on available information.

### Product:

Remarks : No data available

### Components:

#### **Tricresyl phosphate:**

Assessment : Based on available data, the classification criteria are not met.

# SAFETY DATA SHEET

**EASTMAN**

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

## Eastman(TM) Turbo Oil 2380

|         |                |                   |                                 |
|---------|----------------|-------------------|---------------------------------|
| Version | Revision Date: | SDS Number:       | Date of last issue: 17.10.2019  |
| 4.6     | 21.12.2022     | 150000097793      | Date of first issue: 31.05.2014 |
| PRD     |                | SDSGB / EN / 0001 |                                 |

---

### STOT - repeated exposure

Not classified based on available information.

#### Components:

##### Tricresyl phosphate:

Assessment : Based on available data, the classification criteria are not met.

##### N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene:

Assessment : Not classified

##### N-phenyl-1-naphthylamine:

Assessment : Not classified

### Repeated dose toxicity

#### Components:

##### Tricresyl phosphate:

Species : Rat  
: 300 mg/l

### Aspiration toxicity

Not classified based on available information.

#### Components:

##### Tricresyl phosphate:

Not classified

### Experience with human exposure

#### Product:

Inhalation : Remarks: None known.

Skin contact : Remarks: Prolonged skin contact may defat the skin and produce dermatitis.

Eye contact : Remarks: Contact with the eyes may be very painful but does not cause damage.

Ingestion : Remarks: None known.

### Further information

#### Product:

Remarks : None known.

# SAFETY DATA SHEET

**EASTMAN**

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

## Eastman(TM) Turbo Oil 2380

|         |                |                   |                                 |
|---------|----------------|-------------------|---------------------------------|
| Version | Revision Date: | SDS Number:       | Date of last issue: 17.10.2019  |
| 4.6     | 21.12.2022     | 150000097793      | Date of first issue: 31.05.2014 |
| PRD     |                | SDSGB / EN / 0001 |                                 |

### SECTION 12: Ecological information

#### 12.1 Toxicity

##### Product:

|                                                                        |   |                                                                                                                                                                             |
|------------------------------------------------------------------------|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Toxicity to fish                                                       | : | LC50 (Fish): Test substance: Read-across from a similar material<br>Remarks: Not classified as hazardous.<br>(limit of solubility in fresh water)                           |
| Toxicity to daphnia and other aquatic invertebrates                    | : | NOEC : Test substance: Read-across from a similar material<br>Remarks: Not classified as hazardous.<br><br>Remarks: (limit of solubility in fresh water)                    |
| Toxicity to algae/aquatic plants                                       | : | NOEC : Test substance: Read-across from a similar material<br>Remarks: Not classified as hazardous.<br>(limit of solubility in fresh water)                                 |
| Toxicity to fish (Chronic toxicity)                                    | : | NOEC:<br>Species: Fish<br>Test substance: Read-across from a similar material<br>Remarks: Not classified as hazardous.<br><br>Remarks: (limit of solubility in fresh water) |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC:<br>Test substance: Read-across from a similar material<br>Remarks: Not classified as hazardous.<br>(limit of solubility in fresh water)                               |

##### Components:

##### **Tricresyl phosphate:**

|                                                     |   |                                                                             |
|-----------------------------------------------------|---|-----------------------------------------------------------------------------|
| Toxicity to fish                                    | : | LC50 (Oncorhynchus mykiss (rainbow trout)): 0.6 mg/l<br>Exposure time: 96 h |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 0.146 mg/l<br>Exposure time: 48 h        |
| M-Factor (Acute aquatic toxicity)                   | : | 1                                                                           |

##### **N-phenyl-1-naphthylamine:**

|                               |   |                                                                              |
|-------------------------------|---|------------------------------------------------------------------------------|
| Toxicity to fish              | : | LC50 (Oncorhynchus mykiss (rainbow trout)): 0.44 mg/l<br>Exposure time: 96 h |
| Toxicity to daphnia and other | : | EC50 (Daphnia magna (Water flea)): 0.30 - 0.68 mg/l                          |

# SAFETY DATA SHEET

**EASTMAN**

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

## Eastman(TM) Turbo Oil 2380

|         |                |                   |                                 |
|---------|----------------|-------------------|---------------------------------|
| Version | Revision Date: | SDS Number:       | Date of last issue: 17.10.2019  |
| 4.6     | 21.12.2022     | 150000097793      | Date of first issue: 31.05.2014 |
| PRD     |                | SDSGB / EN / 0001 |                                 |

aquatic invertebrates                      Exposure time: 48 h

Toxicity to microorganisms                : EC50 (Bacteria):  
Exposure time: 3 h

### 12.2 Persistence and degradability

#### Product:

Biodegradability                                : Biodegradation: 92.36 %  
Exposure time: 28 d  
Remarks: Readily biodegradable

### 12.3 Bioaccumulative potential

#### Product:

Bioaccumulation                                : Remarks: Mixture  
Not applicable

#### Components:

##### **Tricresyl phosphate:**

Bioaccumulation                                : Bioconcentration factor (BCF): 2,000

Partition coefficient: n-                        : Pow: 860,000  
octanol/water                                    log Pow: 5.93

### 12.4 Mobility in soil

#### Components:

##### **Tricresyl phosphate:**

Distribution among environ-                : log Koc: 4.31  
mental compartments

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment                                        : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Other adverse effects

#### Product:

Endocrine disrupting poten-                : The substance/mixture does not contain components consid-  
tial                                                    ered to have endocrine disrupting properties according to  
REACH Article 57(f) or Commission Delegated regulation  
(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

# SAFETY DATA SHEET

**EASTMAN**

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

## Eastman(TM) Turbo Oil 2380

|         |                |                   |                                 |
|---------|----------------|-------------------|---------------------------------|
| Version | Revision Date: | SDS Number:       | Date of last issue: 17.10.2019  |
| 4.6     | 21.12.2022     | 150000097793      | Date of first issue: 31.05.2014 |
| PRD     |                | SDSGB / EN / 0001 |                                 |

levels of 0.1% or higher.

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.  
It must undergo special treatment, e.g. at suitable disposal site, to comply with local regulations.  
Collect in plastic or metal containers for disposal.  
Where possible recycling is preferred to disposal or incineration.  
Do not dispose of waste into sewer.  
Since emptied containers retain product residue, follow label warnings even after container is emptied.  
In accordance with local and national regulations.

### SECTION 14: Transport information

#### 14.1 UN number

ADR : Not regulated as a dangerous good  
RID : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA : Not regulated as a dangerous good

#### 14.2 UN proper shipping name

ADR : Not regulated as a dangerous good  
RID : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA : Not regulated as a dangerous good

#### 14.3 Transport hazard class(es)

ADR : Not regulated as a dangerous good  
RID : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA : Not regulated as a dangerous good

#### 14.4 Packing group

ADR : Not regulated as a dangerous good  
RID : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good

# SAFETY DATA SHEET

**EASTMAN**

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

## Eastman(TM) Turbo Oil 2380

|         |                |                   |                                 |
|---------|----------------|-------------------|---------------------------------|
| Version | Revision Date: | SDS Number:       | Date of last issue: 17.10.2019  |
| 4.6     | 21.12.2022     | 150000097793      | Date of first issue: 31.05.2014 |
| PRD     |                | SDSGB / EN / 0001 |                                 |

**IATA (Cargo)** : Not regulated as a dangerous good

**IATA (Passenger)** : Not regulated as a dangerous good

### 14.5 Environmental hazards

Not regulated as a dangerous good

### 14.6 Special precautions for user

Not applicable

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17) : Not applicable

UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation : Not applicable

The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

UK REACH List of substances subject to authorisation (Annex XIV) : Not applicable

Control of Major Accident Hazards Regulations 2015 (COMAH) : Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)  
Not applicable

#### The components of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

AIIC : All components are listed on the inventory, regulatory obligations/restrictions apply

DSL : All components of this product are on the Canadian DSL

KECI : On the inventory, or in compliance with the inventory

# SAFETY DATA SHEET

**EASTMAN**

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

## Eastman(TM) Turbo Oil 2380

|         |                |                   |                                 |
|---------|----------------|-------------------|---------------------------------|
| Version | Revision Date: | SDS Number:       | Date of last issue: 17.10.2019  |
| 4.6     | 21.12.2022     | 150000097793      | Date of first issue: 31.05.2014 |
| PRD     |                | SDSGB / EN / 0001 |                                 |

|       |   |                                                       |
|-------|---|-------------------------------------------------------|
| PICCS | : | On the inventory, or in compliance with the inventory |
| ENCS  | : | On the inventory, or in compliance with the inventory |
| IECSC | : | On the inventory, or in compliance with the inventory |
| ISHL  | : | On the inventory, or in compliance with the inventory |
| NZIoC | : | On the inventory, or in compliance with the inventory |
| TSCA  | : | All substances listed as active on the TSCA inventory |

### 15.2 Chemical safety assessment

None.

## SECTION 16: Other information

### Full text of H-Statements

|      |   |                                                                    |
|------|---|--------------------------------------------------------------------|
| H302 | : | Harmful if swallowed.                                              |
| H317 | : | May cause an allergic skin reaction.                               |
| H361 | : | Suspected of damaging fertility or the unborn child.               |
| H373 | : | May cause damage to organs through prolonged or repeated exposure. |
| H400 | : | Very toxic to aquatic life.                                        |
| H410 | : | Very toxic to aquatic life with long lasting effects.              |
| H412 | : | Harmful to aquatic life with long lasting effects.                 |

### Full text of other abbreviations

|                 |   |                                                    |
|-----------------|---|----------------------------------------------------|
| Acute Tox.      | : | Acute toxicity                                     |
| Aquatic Acute   | : | Short-term (acute) aquatic hazard                  |
| Aquatic Chronic | : | Long-term (chronic) aquatic hazard                 |
| Repr.           | : | Reproductive toxicity                              |
| Skin Sens.      | : | Skin sensitization                                 |
| STOT RE         | : | Specific target organ toxicity - repeated exposure |

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL

# SAFETY DATA SHEET

**EASTMAN**

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

## Eastman(TM) Turbo Oil 2380

|         |                |                   |                                 |
|---------|----------------|-------------------|---------------------------------|
| Version | Revision Date: | SDS Number:       | Date of last issue: 17.10.2019  |
| 4.6     | 21.12.2022     | 150000097793      | Date of first issue: 31.05.2014 |
| PRD     |                | SDSGB / EN / 0001 |                                 |

- Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN