

\_

Version 7.1	Revision Date: 04/24/2023		9S Number: 65404-00016	Date of last issue: 11/08/2022 Date of first issue: 06/21/2017			
SECTION 1	. IDENTIFICATION						
Produc	ct name	:	Krytox™ 240AZ				
SDS-lo	dentcode	:	130000023994				
Manuf	acturer or supplier's o	deta	ils				
Compa	any name of supplier	:					
Addres	Address		1007 Market Street Wilmington, DE 19801 United States of America (USA)				
Teleph	Telephone		1-844-773-CHEM	(outside the U.S. 1-302-773-1000)			
Emerg	Emergency telephone		Medical emergency: 1-866-595-1473 (outside the U.S. 1-302- 773-2000) ; Transport emergency: +1-800-424-9300 (outside the U.S. +1-703-527-3887)				
Recon	nmended use of the c	hem	nical and restriction	ons on use			
Recon	nmended use	:	Lubricant				
Restric	ctions on use	:	tions involving imp internal body fluid written agreement	only. ell Chemours™ materials in medical applica- plantation in the human body or contact with s or tissues unless agreed to by Seller in a covering such use. For further information, ur Chemours representative.			

#### **SECTION 2. HAZARDS IDENTIFICATION**

# GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

#### GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

#### Other hazards

The thermal decomposition vapors of fluorinated plastics may cause polymer fume fever with flulike symptoms in humans, especially when smoking contaminated tobacco.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

No hazardous ingredients



Version 7.1	Revision Date: 04/24/2023		OS Number: 65404-00016	Date of last issue: 11/08/2022 Date of first issue: 06/21/2017			
SECTION	4. FIRST AID MEASUR	RES					
lf inha	aled	:	If inhaled, remove Get medical atter	e to fresh air. ntion if symptoms occur.			
In case of skin contact			Wash with water and soap as a precaution. Get medical attention if symptoms occur.				
In cas	se of eye contact	:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.				
lf swa	llowed	:	Get medical atter	NOT induce vomiting. ntion if symptoms occur. oughly with water.			
	important symptoms ffects, both acute and ed	:	Irritation Lung edema Eye contact may Blurred vision Discomfort Lachrymation Skin contact may Irritation Redness	rovoke the following symptoms: provoke the following symptoms provoke the following symptoms: rovoke the following symptoms:			
Prote	ction of first-aiders	:	No special preca	utions are necessary for first aid responders			
Notes	to physician	:	Treat symptomat	ically and supportively.			

## SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Not applicable Will not burn
Unsuitable extinguishing media	:	Not applicable Will not burn
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Hydrogen fluoride carbonyl fluoride potentially toxic fluorinated compounds aerosolized particulates Carbon oxides
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do



Vers 7.1	sion	Revision Date: 04/24/2023		0S Number: 65404-00016	Date of last issue: 11/08/2022 Date of first issue: 06/21/2017	
		protective equipment fighters	:	so. Evacuate area. Wear self-contained breathing apparatus for firefighting necessary. Use personal protective equipment.		
850		. ACCIDENTAL RELE	<u> </u>	· ·		
SEC		. ACCIDENTAL RELE	AƏI	E MEASURES		
	tive equ	al precautions, protec- uipment and emer- procedures	:		ng advice (see section 7) and personal pro- recommendations (see section 8).	
	Enviror	nmental precautions	:	<ul> <li>Avoid release to the environment.</li> <li>Prevent further leakage or spillage if safe to do so.</li> <li>Retain and dispose of contaminated wash water.</li> <li>Local authorities should be advised if significant spillages cannot be contained.</li> </ul>		
		ls and materials for ment and cleaning up	:	<ul> <li>Soak up with inert absorbent material.</li> <li>For large spills, provide diking or other appropriate containent to keep material from spreading. If diked material of pumped, store recovered material in appropriate containent.</li> <li>Local or national regulations may apply to releases and sal of this material, as well as those materials and items ployed in the cleanup of releases. You will need to deter which regulations are applicable.</li> <li>Sections 13 and 15 of this SDS provide information regardered and the section of the section of the section of the sections of the section of the sections of the section of the sections of the</li></ul>		

### SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Do not breathe decomposition products.
		Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment Take care to prevent spills, waste and minimize release to the environment.
Conditions for safe storage	:	Keep in properly labeled containers. Store in accordance with the particular national regulations.
Materials to avoid	:	No special restrictions on storage with other products.
Further information on stor-	:	No decomposition if stored and applied as directed.



Version	Revision Date:	SDS Number:	Date of last issue: 11/08/2022
7.1	04/24/2023	1765404-00016	Date of first issue: 06/21/2017

age stability

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

#### Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Hydrogen fluoride	7664-39-3	TWA	0.5 ppm (Fluorine)	ACGIH
		С	2 ppm (Fluorine)	ACGIH
		С	6 ppm 5 mg/m³	NIOSH REL
		TWA	3 ppm 2.5 mg/m <sup>3</sup>	NIOSH REL
		TWA	3 ppm	OSHA Z-2
Carbonyl difluoride	353-50-4	TWA	2 ppm	ACGIH
		STEL	5 ppm	ACGIH
		TWA	2 ppm 5 mg/m <sup>3</sup>	NIOSH REL
		ST	5 ppm 15 mg/m <sup>3</sup>	NIOSH REL
Carbon dioxide	124-38-9	TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH
		TWA	5,000 ppm 9,000 mg/m <sup>3</sup>	NIOSH REL
		ST	30,000 ppm 54,000 mg/m <sup>3</sup>	NIOSH REL
		TWA	5,000 ppm 9,000 mg/m <sup>3</sup>	OSHA Z-1
Carbon monoxide	630-08-0	TWA	25 ppm	ACGIH
		TWA	35 ppm 40 mg/m³	NIOSH REL
		С	200 ppm 229 mg/m <sup>3</sup>	NIOSH REL
		TWA	50 ppm 55 mg/m <sup>3</sup>	OSHA Z-1

**Engineering measures** 

Processing may form hazardous compounds (see section 10).

Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations.

:



Version 7.1	Revision Date: 04/24/2023		DS Number: 765404-00016	Date of last issue: 11/08/2022 Date of first issue: 06/21/2017		
Per	sonal protective equipr	nent				
Respiratory protection :		:	General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazar- dous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.			
Har	nd protection					
I	Remarks	:	Wash hands befo	re breaks and at the end of workday.		
Eye	protection	:	Wear the followin Safety glasses	g personal protective equipment:		
Skii	n and body protection	:	Skin should be wa	ashed after contact.		
Hyg	jiene measures	:	eye flushing syste king place. When using do no	emical is likely during typical use, provide ems and safety showers close to the wor- ot eat, drink or smoke. ed clothing before re-use.		

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Grease
Color	:	white
Odor	:	odorless
Odor Threshold	:	No data available
рН	:	7
Melting point/freezing point	:	608 °F / 320 °C
Initial boiling point and boiling range	:	No data available
Flash point	:	Method: Pensky-Martens closed cup Not applicable



Vers 7.1	sion	Revision Date: 04/24/2023		S Number: 5404-00016	Date of last issue: 11/08/2022 Date of first issue: 06/21/2017
	Evapor	ration rate	:	Not applicable	
	Flamm	ability (solid, gas)	:	Will not burn	
		explosion limit / Upper ability limit	:	No data available	
		explosion limit / Lower ability limit	:	No data available	3
	Vapor	pressure	:	Not applicable	
	Relativ	e vapor density	:	Not applicable	
	Relativ	e density	:	1.89 - 1.93	
	Solubil Wa	ity(ies) ter solubility	:	insoluble	
	Partitio octano	n coefficient: n- I/water	:	Not applicable	
	Autoig	nition temperature	:	No data available	9
	Decom	position temperature	:	572 °F / 300 °C	
	Viscos Visc	ity cosity, kinematic	:	Not applicable	
	Explos	ive properties	:	Not explosive	
		ng properties	:		r mixture is not classified as oxidizing.
	Particle	e size	:	No data available	

### SECTION 10. STABILITY AND REACTIVITY

Incompatible materials	:	None.
Conditions to avoid	:	None known.
Possibility of hazardous reac- tions	:	Hazardous decomposition products will be formed at elevated temperatures.
Chemical stability	:	Stable under normal conditions.
Reactivity	:	Not classified as a reactivity hazard.

Thermal decomposition	:	Hydrogen fluoride
		Carbonyl difluoride
		Carbon dioxide
		Carbon monoxide

## SAFETY DATA SHEET



## Krytox<sup>™</sup> 240AZ

Version	Revision Date:	SDS Number:	Date of last issue: 11/08/2022
7.1	04/24/2023	1765404-00016	Date of first issue: 06/21/2017

#### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Skin contact Ingestion Eye contact

#### Acute toxicity

Not classified based on available information.

#### Skin corrosion/irritation

Not classified based on available information.

#### Serious eye damage/eye irritation

Not classified based on available information.

#### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

#### Respiratory sensitization

Not classified based on available information.

#### Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Not classified based on available information.

**IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

- **OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
- **NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

#### **Reproductive toxicity**

Not classified based on available information.

#### STOT-single exposure

Not classified based on available information.

#### STOT-repeated exposure

Not classified based on available information.

#### Aspiration toxicity

Not classified based on available information.



Version 7.1	Revision Date: 04/24/2023	SDS Number: 1765404-00016	Date of last issue: 11/08/2022 Date of first issue: 06/21/2017
SECTION	12. ECOLOGICAL IN	FORMATION	
	<b>oxicity</b> ata available		
	<b>istence and degradal</b> ata available	bility	
	<b>ccumulative potentia</b> ata available	I	
	i <b>lity in soil</b> ata available		
••	<b>r adverse effects</b> ata available		
SECTION	13. DISPOSAL CON	SIDERATIONS	
-	osal methods e from residues		ccordance with local regulations. of waste into sewer.

### SECTION 14. TRANSPORT INFORMATION

### International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR Not regulated as a dangerous good

IMDG-Code Not regulated as a dangerous good

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable for product as supplied.

## **Domestic regulation**

**49 CFR** Not regulated as a dangerous good

#### Special precautions for user

Not applicable



Version	Revision Date:	SDS Number:	Date of last issue: 11/08/2022
7.1	04/24/2023	1765404-00016	Date of first issue: 06/21/2017

### SECTION 15. REGULATORY INFORMATION

#### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	No SARA Hazards
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### **US State Regulations**

#### Pennsylvania Right To Know

PFPE fluid Fluoropolymer Trade secret Trade secret


#### California Prop. 65

WARNING: This product can expose you to chemicals including Pentadecafluorooctanoic acid, which is/are known to the State of California to cause cancer, and Pentadecafluorooctanoic acid, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov. Note to User: This product is not made with PFOA nor is PFOA intentionally present in the product; however, it is possible that PFOA may be present as an impurity at background (environmental) levels.

#### SECTION 16. OTHER INFORMATION

**Further information** 





Krytox<sup>™</sup> and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.

Chemours <sup>™</sup> and the Chemours Logo are trademarks of The Chemours Company. Before use read Chemours safety information.

For further information contact the local Chemours office or nominated distributors.

#### Full text of other abbreviations

ACGIH NIOSH REL OSHA Z-1		USA. ACGIH Threshold Limit Values (TLV) USA. NIOSH Recommended Exposure Limits USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
OSHA Z-2	:	USA. Occupational Exposure Limits (OSHA) - Table Z-2
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
ACGIH / C	:	Ceiling limit
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
NIOSH REL / C	:	Ceiling value not be exceeded at any time.
OSHA Z-1 / TWA		8-hour time weighted average
OSHA Z-2 / TWA	:	8-hour time weighted average
OSHA Z-1 / TWA	:	Ceiling value not be exceeded at any time. 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals



Version	Revision Date:	SDS Number:	Date of last issue: 11/08/2022
7.1	04/24/2023	1765404-00016	Date of first issue: 06/21/2017

in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan): ISO - International Organisation for Standardization: KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD
compile the Material Safety		eChem Portal search results and European Chemicals Agen-
Data Sheet		cy, http://echa.europa.eu/

Revision Date

: 04/24/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8