



Product description:

PETROLEUM SOLVENT CLEANING **COMPOUND**

FEATURES:

A hydrocarbon solvent blend

KEY BENEFITS:

- Helps coatings and sealants adhere to aircraft substrates
- Works on oil and oil-bonded contaminants
- Efficiently solvates a broad range of contaminants from substrate surface
- Broad solvency range
- Fast drying
- Use as a replacement for PD-680
- Prepares critical surface areas prior to painting or bonding

SPECS:

- MIL-PRF-680 Ty II
- AMS 3160
- Bombardier CPM PSM 1-84-18-08-10 (TASK)



NSN: 6850-01-633-9843 (16 fl oz (473 ml)



Rev: 20073C 01-12-2022







SUR-PREP® 3160



Product description:

PETROLEUM SOLVENT CLEANING **COMPOUND**

APPLICATIONS:

- ✓ Apply Sur-Prep® 3160 to the surface to be cleaned
- ✓ Wipe dry with a rag
- ✓ Aerosol application is available
- ✓ The Sur-Prep® 3160 aerosol can be used in conjunction with the Formit® extensions to provide targeted spray to areas that may be difficult to reach but need to be cleaned. Please refer to the Formit® technical data sheet for more information.

PHYSICAL PROPERTIES:

Saybolt Color: 30 Minimum

Flash Point: 142°F (61°C) Minimum

Density (lbs/gal): 6.5 lbs/gal (779 g/L)

Boiling Range: 360-400°F (182-204°C)

Copper Strip Corrosion (ASTM D130): Pass

API Gravity: 46-52

KB Value: 29 Minimum

Aromatics by Volume: Less than 3%

Surface Tension (Dynes/cm): 22









Product description:

PETROLEUM SOLVENT CLEANING **COMPOUND**

AVAILABLE PACK SIZES:

- Case of 12 of 16 fl oz (473 ml) Aerosols-010938
- Case of 4 each Gallon (4 each of 3.8L) Cans-008578
- 5 Gallon (18.9L) Pail-008579
- 55 Gallon (208L) Drum-008580
- Case of 6 Canisters of Towelettes-100026
- Case of 100 Individual Towelettes-011844
- **Special Packaging Upon Request**

