



## **SECTION I: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION**

<b>Product Identifier:</b>	<b>Aeriol Thixo #2 Aviation Grease</b>
<b>Product Use:</b>	Lubricant grease.
<b>Restrictions on Use:</b>	Refer to Grease Compatibility Chart
<b>Manufacturer:</b>	WYS Manufacturing Ltd. Bay 7 & 8, 4216 – 54 <sup>th</sup> Ave. SE Calgary, Alberta T2C 2E3 Canada  Phone 1-403-252-2239
<b>Supplier:</b>	Maryn International Ltd. Bay 5 & 6, 4216 – 54 <sup>th</sup> Ave. SE Calgary, Alberta T2C 2E3 Canada  Phone 1-403-252-2239
<b>Emergency Phone Number:</b>	CANUTEC – 24 hr Emergency No. 1-613-996-6666 Business Hour Number 1-403-252-2239 (Monday through Friday 8:00am to 4:30pm MST)
<b>SDS Prepared By:</b>	Maryn Research Phone 1-403-252-2239
<b>Date Revised:</b>	26 July, 2017

**SECTION II: HAZARDS IDENTIFICATION****GHS Classification:**

Causes no serious eye irritation: Not a hazardous substance  
May not cause an allergic skin reaction: Not a hazardous substance

**GHS Label Element:**

Signal word : **Not a hazardous substance**  
Hazard symbol: **None**

Hazard statements: None

Other hazards: None

**Precautionary statements:****Prevention:**

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
P264 Wash skin thoroughly after handling.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P280 Wear eye protection/ face protection.  
P280 Wear protective gloves.

**Response:**

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P337 + P313 If eye irritation persists: Get medical advice/attention.



P363 Wash contaminated clothing before reuse.

**Disposal:**

P501 Dispose of contents/container to an approved waste disposal plant.

**Storage:**

P411+235: Store at temperatures not exceeding 190°C/374 °F. Keep cool.

**Carcinogenicity:****IARC**

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential Carcinogen by OSHA.

**NTP**

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**SECTION III: COMPOSITION/ INFORMATION ON INGREDIENTS**

Hazardous Ingredients	Concentration %	C.A.S. #
Distillates (petroleum), solvent-refined heavy paraffinic	>= 50 - < 70 %	64741-88-4
Residual oils (petroleum), solvent-refined	>= 10 - < 20 %	64742-01-4
Calcium carbonate (dust)	>= 5 - < 10 %	471-34-1
Benzenesulfonic acid, C10-16 – alkyl derivatives, calcium salts	>= 1 - < 5 %	68584-23-6
Calcium dodecylbenzenesulphonate	>= 1 - < 5 %	26264-06-2
Sulfonic acids, petroleum, calcium salts	>= 1 - < 5 %	61789-86-4
Benzenesulfonic acid, mono C16-24 – alkyl derivatives, calcium salts	>= 1 - < 5 %	70024-69-0



## **SECTION IV: FIRST AID MEASURES**

<b>Ingestion:</b>	Obtain medical attention. Never give anything by mouth to an unconscious person. Not expected to be toxic by ingestion.
<b>Skin Contact:</b>	Wash off with warm water and soap. If hot material contacts skin, immediately cool before attempting removal. If skin irritation persists, call a physician. If high pressure forces the product under the skin get immediate medical attention!
<b>Inhalation:</b>	Remove to fresh air. Aspiration may cause pulmonary oedema and pneumonitis. If breathing is difficult, oxygen may be given by qualified personnel. If symptoms persist, consult physician.
<b>Eye Contact:</b>	Flush with clean tepid water for 15 minutes keeping eyelids open. Get medical attention immediately.
<b>Most important symptoms and effects, both acute and delayed:</b>	Irritating to respiratory tract and eyes. Breathing mist caused by high temperature or swallowing large quantities may be irritating to skin, respiratory system, mucous membranes and eyes.

## **SECTION V: FIRE-FIGHTING MEASURES**

<b>Suitable extinguishing media:</b>	On small fires: carbon dioxide (CO <sub>2</sub> ), dry chemicals, dry sand - vermiculite. On large fires: treat as an oil fire, water fog, foam,
<b>Unsuitable extinguishing media:</b>	Avoid spreading with water flooding.
<b>Hazardous combustion products:</b>	Oxides of carbon, Sulphur, calcium.
<b>Special extinguishing methods:</b>	Keep containers cool with water spray. Prevent fire extinguishing water from contaminating surface water or the ground water system.
<b>Special protective equipment and precautions for firefighters:</b>	When fighting fire, treat as petroleum product, wear full protective clothing, including NIOSH approved self-contained breathing apparatus.
<b>Fire and explosion hazards:</b>	



Do not cut, weld, or pressurize empty container. Container may explode in heat of fire.

## **SECTION VI: ACCIDENTAL RELEASE MEASURES**

<b>Personal protection:</b>	Wear suitable protective equipment. Eliminate sources and or potential sources of ignition.
<b>Environmental precautions:</b>	Product has very low solubility in water. Do not flush to sewers, streams or other bodies of water. For disposal, see Section XIII.
<b>Methods for cleaning up:</b>	Absorb on inert material such as sand, earth, vermiculite. Sweep up and collect in a suitable container for disposal. Observe government regulations
<b>Large spills:</b>	Stop leak if without risk. Dike to contain spill. Pump excess material into suitable container (metal drums, metal tanks, or such).

## **SECTION VII: HANDLING AND STORAGE**

<b>Handling:</b>	Keep drums tightly closed to prevent contamination. Avoid contact with eyes, skin and clothing. Wear recommended personal protection equipment.
<b>Storage:</b>	Store in a cool well-ventilated area. Normal precautions common to goo safety practice should be followed in storage.

**SECTION VIII: EXPOSURE CONTROLS/PERSONAL PROTECTION**

- Exposure Limits:** If used in a way that generates a mist, observe the limits for mineral oil mist.
- Engineering controls:** For normal application, special ventilation is not necessary. If the user's operation generates mist, use local ventilation to keep exposure to airborne contaminants below exposure limits.
- Respiratory protection:** None required under normal conditions of use. Use approved respirator with dual organic vapor/mist and particulate cartridge if vapor concentration exceeds permissible exposure limit.
- Eye protection:** Use safety goggles or face shield.
- Skin protection:** Use rubber or plastic apron. Wear protective clothing to minimize skin contact. Use heat protective equipment when handling molten material.
- Hand protection:** Use oil resistant gloves.

**USA**

Component	CAS #	Form of Exposure	Permissible Concentration	Basis
Distillates (petroleum), solvent-refined heavy paraffinic	64741-88-4	TWA (mist)	5 mg/m <sup>3</sup>	OSHA Z-1
		TWA (inhalable fraction)	5 mg/m <sup>3</sup>	ACGIH
		TWA	5 mg/m <sup>3</sup>	OSHA P0
		TWA (mist)	5 mg/m <sup>3</sup>	NIOSH REL
		ST (mist)	10 mg/m <sup>3</sup>	NIOSH REL
Residual oils (petroleum), solvent-refined	64742-01-4	TWA (mist)	5 mg/m <sup>3</sup>	OSHA Z-1
		TWA (inhalable fraction)	5 mg/m <sup>3</sup>	ACGIH
		TWA	5 mg/m <sup>3</sup>	OSHA P0
		TWA (mist)	5 mg/m <sup>3</sup>	NIOSH REL
		ST (mist)	10 mg/m <sup>3</sup>	NIOSH REL
Calcium carbonate (dust)	471-34-1	TWA (respirable)	5 mg/m <sup>3</sup>	NIOSH REL
		TWA (total)	10 mg/m <sup>3</sup>	NIOSH REL

**Components with workplace control parameters :****Canada**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), solventrefined heavy paraffinic	64741-88-4	TWA (Mist)	0.2 mg/m3	CA BC OEL
		TWA	0.2 mg/m3	CA BC OEL
		TWA (Mist)	1 mg/m3	CA BC OEL
		TWA (Mist)	5 mg/m3	CA AB OEL
		STEL (Mist)	10 mg/m3	CA AB OEL
		TWAEV (Mist)	5 mg/m3	CA QC OEL
		STEV (Mist)	10 mg/m3	CA QC OEL
		TWA (Mist)	1 mg/m3	CA BC OEL
Residual oils (petroleum), solvent-refined	64742-01-4	TWA (Mist)	0.2 mg/m3	CA BC OEL
		TWA (Mist)	1 mg/m3	CA BC OEL
		TWA (Mist)	5 mg/m3	CA AB OEL
		STEL (Mist)	10 mg/m3	CA AB OEL
		TWAEV (Mist)	5 mg/m3	CA QC OEL
		STEV (Mist)	10 mg/m3	CA QC OEL
		TWA (Mist)	1 mg/m3	CA BC OEL
calcium carbonate	471-34-1	TWAEV (total dust)	10 mg/m3	CA QC OEL
		TWA	10 mg/m3 (Calcium)	CA AB OEL
		TWA	10 mg/m3 (Calcium carbonate)	CA AB OEL
Distillates (petroleum), solventrefined heavy paraffinic	64741-88-4	TWA (Mist)	0.2 mg/m3	CA BC OEL
		TWA	0.2 mg/m3	CA BC OEL
		TWA (Mist)	1 mg/m3	CA BC OEL
		TWA (Mist)	5 mg/m3	CA AB OEL
		STEL (Mist)	10 mg/m3	CA AB OEL
		TWAEV (Mist)	5 mg/m3	CA QC OEL
		STEV (Mist)	10 mg/m3	CA QC OEL
		TWA (Mist)	1 mg/m3	CA BC OEL
Residual oils (petroleum), solvent-refined	64742-01-4	TWA (Mist)	0.2 mg/m3	CA BC OEL
		TWA (Mist)	1 mg/m3	CA BC OEL
		TWA (Mist)	5 mg/m3	CA AB OEL



		STEL (Mist)	10 mg/m <sup>3</sup>	CA AB OEL
		TWAEV (Mist)	5 mg/m <sup>3</sup>	CA QC OEL
		STEV (Mist)	10 mg/m <sup>3</sup>	CA QC OEL
		TWA (Mist)	1 mg/m <sup>3</sup>	CA BC OEL
calcium carbonate	471-34-1	TWAEV (total dust)	10 mg/m <sup>3</sup>	CA QC OEL
		TWA	10 mg/m <sup>3</sup> (Calcium)	CA AB OEL
		TWA	10 mg/m <sup>3</sup> (Calcium carbonate)	CA AB OEL

## **SECTION IX: PHYSICAL AND CHEMICAL PROPERTIES**

<b>Physical State:</b>	Semi-solid
<b>Appearance:</b>	Brown
<b>Odor:</b>	Mild petroleum odor
<b>Odor Threshold:</b>	Not established at 20°C (68°F)
<b>pH:</b>	Not applicable
<b>Drop Point:</b>	300°C (572°F)
<b>Boiling Point:</b>	Not available
<b>Flash Point:</b>	215°C (420°F)
<b>Evaporation Rate:</b>	Not available
<b>Upper Flammability Limit:</b>	Not determined
<b>Lower Flammability Limit:</b>	Not determined
<b>Density:</b>	1.05g/cm <sup>3</sup> at 25°C (77°F)
<b>Specific Gravity:</b>	0.95 – 1.05
<b>Vapor Pressure:</b>	<0.0008 hPa (0.00 mmHg) at 20°C (68°F)
<b>Vapor Density:</b>	Not available
<b>Solubility in Water:</b>	Negligible
<b>Autoignition Temperature:</b>	Not available
<b>Partitioning Coefficient:</b>	Not available

## **SECTION X: STABILITY AND REACTIVITY**

<b>Chemical Stability:</b>	Stable.
<b>Incompatibility:</b>	Avoid contact with oxidizing agents.
<b>Reactivity:</b>	No reactivity.





**Polymerization:** Will not occur.

**Decomposition Products:** Oxides of carbon, nitrogen, sulfur, calcium

## **SECTION XI: TOXICOLOGICAL INFORMATION**

### **Effects of Acute and Chronic Exposure:**

**Skin Contact:** May cause irritation.

**Skin Absorption:** If high pressure forces the product under the skin get immediate medical attention.

### **Acute dermal toxicity:**

Calcium dodecylbenzenesulphonate (component): LD50: > 4,199 mg/kg  
Species: rabbit  
Remarks: information given is based on data obtained from similar substances.

Sulfonic acids, petroleum, calcium salts (component): LD50: > 4,000 mg/kg  
Species: rabbit  
Method: OECD Test Guideline 402

Benzenesulfonic acid, mono-C16-24-alkyl derivatives, calcium salts (component): LD50: > 2,000 mg/kg  
Species: rat  
Method: OECD Test Guideline 402

### **Skin irritation:**

Calcium carbonate (dust) (component): Species: rabbit  
Result: no skin irritation

Calcium dodecylbenzenesulphonate (component): Species: rabbit  
Result: skin irritation  
Exposure time: 4h  
Remarks: information given is based on data obtained from similar substances

**Eye Contact:** May cause irritation.

### **Eye irritation:**



Calcium carbonate (dust)  
(component):

Species: rabbit  
Result: no eye irritation

Calcium  
dodecylbenzenesulphonate  
(component):

Species: rabbit  
Result: rise of serious damage to eyes.  
Remarks: information given is based on data obtained from  
similar substances.

**Inhalation:**

No information available. Mist or spray may cause delayed  
onset of pulmonary oedema.

**Ingestion:**

No significant hazard. No evidence of harmful effect from  
available information. May cause diarrhea.

Acute oral toxicity (Product):

Acute toxicity estimate: > 5,000 mg/kg

**Irritancy:**

Irritation to eyes and respiratory tract. Frequent and prolonged  
contact may irritate skin. If misted, inhalation of mist may cause  
irritation.

**Sensitization:**

Repeated or prolonged contact may cause sensitization in some  
individuals.

Benzenesulfonic acid, C10-16-  
alkyl derivatives, calcium salts  
(component):

Result: the product is a skin sensitizer, sub-category 1B.

Sulfonic acids, petroleum,  
calcium salts (component):

Result: the product is a skin sensitizer, sub-category 1B.

Benzenesulfonic acid, mono-C16-  
24-alkyl derivatives, calcium salts  
(component):

Result: the product is a skin sensitizer, sub-category 1B.

**Carcinogenicity:**

This product contains material that has not been listed as a  
carcinogen or potential carcinogen by the National Toxicology  
Program, International Agency for Research on Cancer, or the  
Occupational Safety and Health Administration.

**Reproductive Toxicity:**

No adverse effects are anticipated.

Calcium carbonate (dust)  
(component):

Species: rat  
Application route: oral

**CMR Effects:**

Calcium carbonate (dust)  
(component):

Teratogenicity: No effect on or via lactation.  
Reproductive toxicity: no toxicity to reproduction.

**Further Information:**

No evidence of harmful effects from available information.

**SECTION XII: ECOLOGICAL INFORMATION****Toxicity to Fish:**

Calcium  
dodecylbenzenesulphonate  
(component):

LC50: 22 mg/L  
Exposure time: 96h  
Species: Pimephales promelas (fathead minnow)  
Static test analytical monitoring: no  
Method: OECD Test Guideline 203  
Remarks: information given is based on data obtained from similar substances.

Sulfonic acids, petroleum,  
calcium salts (component):

LC50 > 10,000 mg/L  
Exposure time: 96h  
Species: Cyprinodon variegatus (sheepshead minnow)  
Static test method: OECD Test Guideline 203

**Toxicity to Daphnia and Other  
Aquatic Invertebrates:**

Calcium  
dodecylbenzenesulphonate  
(component):

EC50: 2.5 mg/L  
Exposure time: 48h  
Species: Daphnia magna (water flea)  
Static test method: OECD Test Guideline 202  
Remarks: information given is based on data obtained from similar substances.

Sulfonic acids, petroleum,  
calcium salts (component):

EC50: > 100mg/L  
Exposure time: 48h  
Species: Daphnia magna (water flea)  
Static test method: OECD Test Guideline 202

**Toxicity to Algae:**

Sulfonic acids, petroleum,  
calcium salts (component):

EbC50: > 100mg/L  
Exposure time: 72h



Species: green algae (*Scenedesmus subspicatus*)

Static test analytical monitoring: no

Method OECD Test Guideline 201

ErC50: > 100 mg/L

Species: green algae (*Scenedesmus subspicatus*)

Static test analytical monitoring: no

Method: OECD Test Guideline 201

### **Bioaccumulation:**

Calcium  
dodecylbenzenesulphonate  
(component):

Species: *Lepomis macrochirus* (bluegill sunfish)

Exposure time: 21d

Bioconcentration factor (BCF): 104

### **Biodegradability:**

Calcium  
dodecylbenzenesulphonate  
(component):

Result: readily biodegradable.

Testing period: 28d

Remarks: information given is based on data obtained from similar substances.

Sulfonic acids, petroleum,  
calcium salts (component):

Aerobic.

Result: not readily biodegradable.

8.6%

Benzenesulfonic acid, mono-C16-  
24-alkyl derivatives, calcium salts  
(component):

Aerobic.

Result: according to the results of tests of biodegradability this product is not readily biodegradable.

8%

Method: OECD Test Guideline 301

### **Further Information on**

#### **Ecology:**

Additional ecological information  
(product):

No data available.

This product is stable in water, and can be mechanically separated from water. The water may be suitable for disposal in a biological waste water treatment plant.

**SECTION XIII: DISPOSAL CONSIDERATION****RCRA 40 CFR 261 Classification:** Not Listed**US EPA Waste Number / Classification:** Not Available

**Waste Disposal:** Dispose of waste material in compliance with all federal, state, provincial and local regulations. Incinerate in a furnace or bury in an approved landfill where permitted under appropriate federal, provincial and local regulations.

**SECTION XIV: Transport Information**

<b>Department of Transport:</b>	Not regulated under DOT
<b>TDG – Canada:</b>	Not regulated under TDG
<b>DOT/TDG Proper Shipping Name:</b>	None
<b>DOT/TDG Hazard Class:</b>	None
<b>Product Identification Number:</b>	None
<b>Packing Group:</b>	None
<b>DOT/TDG Labels: Primary:</b>	None required
<b>Subsidiary:</b>	None required
<b>DOT/TDG Placards:</b>	None required
<b>ADR:</b>	Not dangerous goods
<b>RID:</b>	Not dangerous goods
<b>MERCOSUR:</b>	Not dangerous goods
<b>IATA:</b>	Not dangerous goods
<b>IMDG:</b>	Not dangerous goods

**SECTION XV: REGULATORY INFORMATION**

**CPR Compliance:** This product has been classified in accordance with the hazard criteria of the *Controlled Products Regulations* and the SDS contains all of the information required by those regulations.

**OSHA Hazard Communication Standards 29CFR 1910.1200:** This product is not known to contain any of the carcinogens required to be listed under OSHA Hazards Communication Standards 29 CFR 1910.1200.

**WHMIS Classification:** D2B



**NPRI Components:** Diphenylamine CAS# 122-39-4

**CERCLA Reportable Quantity:**

Calcium dodecylbenzenesulphonate (component): CAS# 26264-06-02  
Component RQ (lbs): 1000  
Calcium product RQ: calculated RQ exceeds reasonably attainable upper limit.

**SARA 304 Reportable Quantity:** This material does not contain any components with section 304 EHS RQ.

**SARA 311/312 Hazards:** Acute Health Hazard

**SARA 302:** No chemical in this material are subject to the reporting requirements of SARA Title III, Section 302

**SARA 313:** This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**California Prop 65:** This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

**US, TSCA:** On TSCA inventory.

**DSL:** All components are on the Canadian DSL.

**AICS:** On the inventory, or in compliance with inventory.


**NZIoC:** On the inventory, or in compliance with inventory.

**ENCS:** Not in compliance with the inventory.

**KECI:** On the inventory, or in compliance with inventory.

**PICCS:** On the inventory, or in compliance with inventory.

**IECSC:** On the inventory, or in compliance with inventory.

**SECTION XVI: Other Information****HMIS Information****Degree of Hazard**

4= Severe

3= Serious

2= Moderate

1= Slight

0= Minimal

\*=Chronic

**Revision Information**

<b>Prepared by:</b>	Maryn Research
<b>Phone:</b>	1-403-252-2239
<b>Effective Date:</b>	26 July,2017
<b>Supersedes:</b>	20 January 2015
<b>Revision:</b>	2.0

Maryn International Ltd. (the "Company"), shall not be liable for any damages arising from the information contained on this data sheet howsoever caused, if the product in question is not employed in a normal or foreseeable use or circumstances. The Company shall not be liable for any indirect or consequential damages arising out of the use of the information contained on this data sheet howsoever caused.