Revision : 1 (11-05-2006)

TN600-1 - TURBONYCOIL 600



# SAFETY DATA SHEET

# 1 - IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Identification of the substance or preparation:

Name: TURBONYCOIL 600

Product code: TN600-1

## Company/undertaking identification:

Registered company name: NYCO S.A.. Address: 49, rue de Ponthieu.75008.PARIS.France. Telephone: +33 (0)1 45 61 50 00. Fax:+33 (0)1 45 61 50 13. Telex:. info@nvco.fr

www.nyco.fr

#### Emergency telephone: +33 (0)1 45 42 59 59.

Association/Organisation: INRS / ORFILA www.centres-anti-poison.net.

#### Use of the substance/preparation:

Synthetic lubricating oil for aircraft turbines

## 2 - COMPOSITION/INFORMATION ON INGREDIENTS

Full text of risk phrases appearing in section 2: see section 16.

### Hazardous substances present on their own:

(present in the preparation at a sufficient concentration to give it the toxicological characteristics it would have in a 100% pure state) This preparation contains no hazardous substance in this category.

### Other substances representing a hazard:

INDEX	CAS	EC	Name	Symb.	R:	%
	115-86-6	204-112-2	TRIPHENYL PHOSPHATE	Ν	50/53	0 <= x % < 2.5

Substances present at a concentration below the minimum danger threshold:

No known substance in this category present.

## Other substances with occupational exposure limits:

No known substance in this category present.

## **3 - IDENTIFICATION OF HAZARDS**

This product is not classed as flammable. Refer to the recommendations regarding the other products present on the site This preparation is not classed as hazardous to health by directive 1999/45/EC.

Harmful to aquatic organisms, may cause long-termadverse effects in the aquatic environment.

## 4 - FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor. NEVER induce swallowing in an unconscious person.

# In the event of exposure by inhalation:

If a large quantity is inhaled, move the patient into the fresh air and keep him/her warm and still.

# In the event of splashes or contact with eyes:

Wash thoroughly with soft, clean water for 15 minutes holding the eyelids open.

Refer the patient to an ophthalmologist, in particular if there is any redness, pain or visual impairment.

### In the event of splashes or contact with skin:

# SAFETY DATA SHEET (91/155/EEC - 2001/58/CE - ISO 11014-1)

### Revision : 1 (11-05-2006)

#### TN600-1 - TURBONYCOIL 600

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner. DO NOT use solvents or thinners.

#### In the event of swallowing:

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

If swallowed accidentally, call a doctor to assess the need for monitoring and subsequent treatment in hospital. Show him the label.

## **5 - FIRE-FIGHTING MEASURES**

Not relevant.

## Suitable extinguishing media:

Carbon dioxide (CO2) - Foam - Dry chemicals

### Special protective equipment for fire-fighters:

In case of abundant fumes, fire fighters must use self-contained breathing apparatus.

#### 6 - ACCIDENTAL RELEASE MEASURES

#### Personal precautions:

Consult the safety measures listed under headings 7 and 8.

#### **Environmental precautions:**

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal. Prevent any material from entering drains or waterways.

Use drums to dispose of waste recovered in accordance with applicable regulations (see heading 13).

If the product contaminates waterways, rivers or drains, alert the relevant authorities in accordance with statutory procedures

#### Methods for cleaning up:

Clean preferably with a detergent, do not use solvents.

## 7 - HANDLING AND STORAGE

The regulations relating to storage premises apply to workshops where the product is handled.

## Handling:

Handle in well-ventilated areas.

## Fire prevention:

Prevent access by unauthorised personnel.

## Recommended equipment and procedures:

For personal safety, see §8.

Observe precautions stated on label and also industrial safety regulations

## Prohibited equipment and procedures:

Smoking, eating and drinking are prohibited in premises where the preparation is used

Never open the packages under pressure

#### Storage:

Keep the container tightly closed in a dry place. The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

## 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Use personal protection equipment as per Directive 89/686/EEC.

Technical measures:

Ensure adequate ventilation, if possible with extractor fans at work posts and appropriate general extraction.

# Exposure limit values per INRS ND 2098-174-99 and ND 2114-176-99:

France	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP N°:
115-86-6	-	3	-	-	-	-
Exposure limit va	lues (2003-2006):					

Exposure	limit	values	(2003-2006	):

UK/WELs	TWA:	STEL:	Ceiling:	Definition:	Criterion:
115-86-6	3 mg/m3	6 mg/m3	-	-	-
UK/OES	TWA:	STEL:	Ceiling:	Definition:	Criterion:
115-86-6	3 mg/m3	6 mg/m3	-	-	-
ACGIH/TLV	TWA:	STEL:	Ceiling:	Definition:	Criterion:
115-86-6	3 mg/m3	-	-	-	-

# SAFETY DATA SHEET (91/155/EEC - 2001/58/CE - ISO 11014-1)

Revision : 1 (11-05-2006)

TN600-1 - TURBONYCOIL 600

### **Respiratory protection:**

Where workers encounter concentrations higher than the exposure limits, they must wear suitable, approved masks.

#### Hand protection:

Protective creams may be used for exposed skin, but they should not be applied after contact with the product.

When using gloves they must be in nitrile rubber (HNBR)

# Eye and face protection:

Use eye protectors designed to protect against liquid splashes

## Skin protection:

For further information, see § 11 of S.D.S. - Toxicological information.

# 9 - PHYSICAL AND CHEMICAL PROPERTIES

General in	formation.

Physical state:	fluid liquid
Important health, safety and environmental information:	
pH of the substance or preparation:	not relevant.
The pH is impossible to measure or its value is not relevant.	
Boiling point/boiling range:	not relevant.
Flash point interval:	Flash point: > 61°C
Flash point:	271.00 °C.
vapour pressure:	Below 110 kPa (1.10 bar).
Density:	<1
Density:	0.993
water solubility:	Insoluble.
Viscosity:	5 cSt à 100°C
Other information:	
melting point/melting range:	-57 °C.
Self-ignition temperature:	not relevant.
Decomposition point/decomposition range :	not relevant.

## **10 - STABILITY AND REACTIVITY**

When exposed to high temperatures, the preparation may release dangerous decomposition products such as carbon monoxide and dioxide, smoke and nitrogen oxide

#### Materials to avoid:

Natural rubber, polyacrylate, polybutadiene and the likes

#### Hazardous decomposition products:

By burning : carbon mono- and di-oxides

### **11 - TOXICOLOGICAL INFORMATION**

No data is available regarding the preparation itself.

Exposure to vapors from solvents contained in the preparation beyond the exposure limits stated may produce effects harmful to health, such as:

Irritation of mucous membrane and respiratory system, kidneys, liver and central nervous system.

Symptoms produced will include headaches, numbness, dizziness, fatigue, muscular asthenia and, in extreme cases, loss of consciousness.

Prolonged or repeated contact with the preparation may strip the skin of its natural oil and thus cause non-allergic dermatitis on contact and absorption through the epidermis.

Splashes in the eyes may cause irritation and reversible damage

### **12 - ECOLOGICAL INFORMATION**

No ecological data on the product itself is available.

The product must not be allowed to run into drains or waterways.

## Ecotoxicity:

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

# **13 - DISPOSAL CONSIDERATIONS**

Do not pour into drains or waterways.

# SAFETY DATA SHEET (91/155/EEC - 2001/58/CE - ISO 11014-1)

Revision : 1 (11-05-2006)

#### TN600-1 - TURBONYCOIL 600

### Waste:

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

## Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

Codes of wastes (Decision 2001/573/EC, Directive 75/442/EEC, Directive 91/689/EEC on hazardous waste) :

13 08 99

# **14 - TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2005 - IMDG 2004 - ICAO/IATA 2005).

#### **15 - STATUTORY INFORMATION**

This preparation was classified in compliance with the directive known as <All preparations> 1999/45/EC and its adaptations

In addition directive 2004/73/EC with the 29° adaptation of directive 67/548/EEC (Hazardous substances) have been taken into account.

This preparation is not classed as hazardous to health by directive 1999/45/EC.

This product is not classed as flammable.

### Particular hazards associated with the preparation and safety recommendations:

R 52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

# **16 - OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The product must not be used for any purposes other than those specified under heading 1 without first obtaining written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations

The information given on this safety data sheet must be regarded as a description of the safety requirements relating to our product and not a guarantee of its properties

## Full text of risk phrases appearing in section 2:

R 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Version : 1 (14-06-2006)